

TMSS10AssignContainer

TMSS10AssignContainer, using a configuration file, allocates [Volumes](#) to a Container for storage or transportation.

Synopsis

```
TMSS10AssignContainer [-N Do not allocate when already in a container] [-S logon string] [-V volume filter] [-c Configuration file]
```

Options

- -N When true stops the allocation of a Container when the [Volume](#) is already assigned to another Container.
- -S The Logon string argument sets the [Server Logon Information](#).
- -V [Volume Filter](#) which can be used to filter the traversal of [Customer](#), [Media](#), [Volume](#), [Repository](#) and [Flag](#) values.
- -c The config file argument specifies the path to the Batch Configuration File. The Batch Configuration File allows you to perform advanced traversal of [Customer](#), [Media](#) and [Volumes](#), perform advanced Barcode pre and post processing and route program output to syslogd.

If an argument value starts with the value `FI:`, the value for that attribute will be read from the file name specified immediately after it. For example, if a file named `ACME_volumes` has the content `ACME_*. *`, specifying `FI:/etc/ACME_volumes` will have the same effect as `-V ACME_*. *`. Using `FI:` to refer to a file for an attribute value works for all attributes.

If the pattern being matched starts with `*LIST:` then rather than matching the literal value, each record in the file specified as `*LIST:filename` will be tested. If one matches the match will succeed.

2021/06/16 02:14 · Scott Cunliffe

[include page](#)

Configuration file capabilities vary from program to program but the syntax remains the same. In the event that logic is not supported it will simply be ignored. The following example will set the default [Customer-ID](#) and [Media-ID](#) for all scanned Barcodes:

```
barcodes =
{
    defaults={ customer-id="ACME"; media-id="LT0"; };
};
```

Notes

Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff.

If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

Exit Status

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

Environment

TMSSERVERPROXY If defined the program will route all TapeTrack TCP/IP traffic through a HTTPS proxy. The value of the variable should be in the format user:password@host:port. To debug the proxy connection use variable **TMSSAPILOGDIR**.

TMSSAPILOGDIR If defined the program will write out a trace file to this directory.

TMSSPPWPATH When no password value is passed in the logon string the program will look for the password in file C:/tapetrack/pw/batch, where user is the user value passed in the logonstring. If you wish to change this default path, you can set the path in **TMSSPPWPATH**.

TMSSNOMD5 If defined the program will not MD5 hash passwords before sending them to the TapeTrack Server. This is required when relying on Windows Active Directory authentication. It should be noted that although the password is not being hashed, it is still encrypted during transmission.

Example

Assigning Volumes from US01.LTO to containers US01.CONT

```
TMSS10AssignContainer -S user:-pass@serveraddress -V US01.*.* <
volumelist.txt > container_assigned_US01.txt
```

Output

container_assigned_US01.txt

```
ZBT001N-12:23:30 TMSS10AssignContainer (c) GazillaByte 1998-2025
ZBT002N-12:23:30 Compiled Sep 11 2025 at 11:25:28
ZBT010I-12:23:30 this program will assign Volumes to a Container
ZBT006N-12:23:30 Running Under Microsoft Windows (10.0.26100.7309 Desktop)
ZBT000N-12:23:30 Host is Little Endian
ZBT000N-12:23:30 Host is ASCII
ZBT000N-12:23:30 Binary is 64 bit
```

```
ZBT000N-12:23:30 Current Working Directory is
C:\Users\diff1\OneDrive\Desktop\temp\Assign Containers
ZBT000N-12:23:30 Executing Module is C:\Program Files\TapeTrack\TapeTrack
Server Utilities\bin\tapetrack\TMSS10AssignContainer.exe
ZBT004N-12:23:30 Today is Tuesday, December 16, 2025
ZBT005N-12:23:30 Running on GazillaByte
ZBT006N-12:23:30 Process ID 1564
ZBT000N-12:23:30 Parsing and validating command arguments
ZBT001N-12:23:30 Server Interpreted as: Server(localhost) Port(5000)
User(tapemaster) Password(*****)
ZBT002N-12:23:30 Program Options:
ZBT002N-12:23:30     (N) Do not allocate when already in a Container=false
ZBT002N-12:23:30     (S) Server=<VALUE HIDDEN>
ZBT002N-12:23:30     (V) Volume Filter=US01.*.*
ZBT002N-12:23:30     (c) Configuration File=map.cfg
ZBT000N-12:23:30 Arguments parsed and validated with 0 errors
ZBT000N-12:23:30 Reading Config File map.cfg
ZBT000N-12:23:30 Checking for environment variable TMSSSERVERPROXY
ZBT000N-12:23:30 Connection to server (127.0.0.1) successful
ZBT000N-12:23:30 Logging on to TapeTrack Server
ZBT000N-12:23:30 Registering Client at MACID(d8:43:ae:c7:0d:15:00:00)
Result(Request OK)
ZBT000N-12:23:30 Last Logon was at Tuesday, December 16, 2025 - 12:21:09
from 127.0.0.1 (kubernetes.docker.internal)
ZBT000N-12:23:30 Welcome to Server: Free License
ZBT000I-12:23:30 Initializaing Attribute Control: Index[0]
ZBT001N-12:23:30 Volume filter interpreted as: Customer(US01) Media(*)
Volume(*) Repository(*) Flags()
ZBT000N-12:23:30 Listing Customers
ZBT000N-12:23:30 Customer List successful: Customers(3) Excluded(0)
ZBT000N-12:23:30 Processing Customer: US01-London (6/3)
ZBT000N-12:23:30 Listing Media
ZBT000N-12:23:30 Media List successful: Media(2) Excluded(0)
ZBT000N-12:23:30 Processing Media: CONT-Container
ZBT000N-12:23:30 Listing Volumes
ZBT000N-12:23:30 Volume List successful: Volumes(3) Excluded(0)
ZBT000N-12:23:30 Processing Media: LT0-LT0 Cartridge
ZBT000N-12:23:30 Listing Volumes
ZBT000N-12:23:30 Volume List successful: Volumes(3) Excluded(0)
ZBT000N-12:23:30 Allocating Containers for 3 Volumes
ZBT000I-12:23:30 Refreshing Container Cache
ZBT000N-12:23:30 Container Cache refreshed with 3 entries
ZBT000N-12:23:30 Found 6 free slots across 3 Containers
ZBT000N-12:23:30 Assigning Volume-ID(US01.LT0.003100L6) to
Container(US01.CONT.CONT102)
ZBT000N-12:23:30 Volume (US01.LT0.003100L6) updated OK
ZBT000N-12:23:30 Assigning Volume-ID(US01.LT0.002100L6) to
Container(US01.CONT.CONT102)
ZBT000N-12:23:30 Volume (US01.LT0.002100L6) updated OK
ZBT000N-12:23:30 Assigning Volume-ID(US01.LT0.001100L6) to
Container(US01.CONT.CONT101)
```

```
ZBT000N-12:23:30 Volume (US01.LT0.001100L6) updated OK
ZBT000N-12:23:30 Closing connection to TapeTrack Server
ZBT000N-12:23:30 Session Statistics:
ZBT000N-12:23:30     Seconds Connected: 0
ZBT000N-12:23:30     Queries Completed: 17
ZBT000N-12:23:30           Bytes Sent: 1,244
ZBT000N-12:23:30           Bytes Received: 2,348
ZBT000N-12:23:30 -
ZBT000N-12:23:30 Return Code Statistics -----
-----
ZBT000N-12:23:30 Message
Total
ZBT000N-12:23:30 Request OK
17
ZBT000N-12:23:30 -----
-----
ZBT000N-12:23:30 -
ZBT900N-12:23:30 Program Complete
ZBT901N-12:23:30 Elapsed time 0 minutes and 0 seconds
ZBT000N-12:23:30 Total Read Operations 4 (189 bytes)
ZBT000N-12:23:30 Total Write Operations 65 (3,932 bytes)
ZBT991N-12:23:30 CRC values for this session: 0x1d4d603f (0x222bbf5b)
ZBT992N-12:23:30 Number of records written: 66
ZBT993N-12:23:30 Number of bytes written: 3,818
ZBT999N-12:23:30 Program ended with RC=0 (Success)
```

See Also

[Command Line Utility Troubleshooting and Diagnosis](#)

Changelog

Cannot load rss feed.

[update doco](#), [cli](#), [container](#)

From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
<https://rtfm.tapetrack.com/cli/tmss10assigncontainer?rev=1765849166>

Last update: **2025/12/16 01:39**

