TMSS10Custom_BillByAge

TMSS10Custom_BillByAge will produce TapeTrack Billing XML records based on the length of time a Volume has been in a Repository.

Synopsis

```
TMSS10Custom_BillByAge [-R date range] [-S logon string] [-V volume filter]
[-a actual repository] [-f template file]
```

Options

- -R Specifies the date range.
- -S The Logon string argument sets the Server Logon Information
- -V Volume Filter which can be used to filter the traversal of Customer, Media, Volume, Repository and Flag values.
- -a Actual Repository filter
- -f XML template file (default = $template.xml)

If an argument value starts with the value `FI:`, the value for that attribute will be read from the file name specified immediately after it. For example, if a file named ACME_volumes has the content `ACME_*.*`, specifying `FI:/etc/ACME_volumes` will have the same effect as `-V ACME.*.*`. Using `FI:` to refer to a file for an attribute value works for all attributes.

If the pattern being matched starts with *LIST: then rather than matching the literal value, each record in the file specified as *LIST:filename will be tested. If one matches the match will succeed.

2021/06/16 02:14 · Scott Cunliffe
include page

Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff.

If you are experiencing problems or want some advice on how to configure or use the product please see the Accessing Technical Support page.

Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

Environment

Files

stdout: Output Reports.
stderr: Diagnostic messages.
stdin: Program input.

Example

Command line syntax

Output

See Also

[Command Line Utility Troubleshooting and Diagnosis](#)

Changelog
    Cannot load rss feed.

[update doco](#)

From:
https://rtfm.tapetrack.com/ - **TapeTrack Documentation**

Permanent link:
https://rtfm.tapetrack.com/cli/tmss10custom_billbyage

Last update: **2025/07/04 04:43**