

# TMSS10ExpireDRStrategies

## Synopsis

```
TMSS10ExpireDRStrategies [-C customer filter] [-D description filter] [-R date range] [-S logon string] [-d depreciate] [-t test mode]
```

## Description

TMSS10ExpireDRStrategies will delete (or depreciate) all expired Disaster Recovery strategies within the specified date range.

## Options

- -C Customer ID filter.
- -D Description filter.
- -R Expiry date range.
- -S The logon string argument sets the [Server logon information](#).
- -d Depreciate disaster recovery strategy rather than delete.
- -t Run in test mode, no updates performed.

## Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff. If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

## Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

## Environment

## Files

**stdout:** Output Reports.

**stderr:** Diagnostic messages.

**stdin:** Program input.

# Example

## Command line syntax

## Output

From:  
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:  
<https://rtfm.tapetrack.com/cli/tmss10expiredrstrategies?rev=1511228971>

Last update: **2025/01/21 22:07**

