

TMSS10Inventory

TMSS10Inventory produces an Inventory Report of all selected [Volumes](#).

By default, this program accepts pairs of Integers as arguments, with each successive pair representing the next column within a CSV file.

The first Integer is the zero-based offset within the output file, and the second is the length of the field that is output.

Alternatively, if the first argument of the first pair contains a colon, the Integer on the left-hand side of the colon will set the relative column, and any future pair will be offset from that column. In the event that other pairs also start with a colon, this too will set the column and future columns from that column index.

In the event that the program is run with no arguments, the program will display a suggested calling syntax taking into account the maximum values calculated by processing the supplied data.

Synopsis

```
TMSS10Inventory [-A attribute index] [-M mode] [-N no relative resolve] [-R  
output a scan list file] [-S logon string] [-V volume filter] [-c  
configuration file]
```

Options

- -A Attribute Index (default = 0)
- -M Sets the output mode.
- -N No relative resolve.
- -R Outputs results to a scan list file.
- -S The Logon string argument sets the [Server Logon Information](#).
- -V [Volume Filter](#) which can be used to filter the traversal of [Customer](#), [Media](#), [Volume](#), [Repository](#) and [Flag](#) values.
- -c The config file argument specifies the path to the Batch Configuration File. The Batch Configuration File allows you to perform advanced traversal of [Customer](#), [Media](#) and [Volumes](#), perform advanced Barcode pre and post-processing and route program output to syslogd.

If an argument value starts with the value `FI:`, the value for that attribute will be read from the file name specified immediately after it. For example, if a file named `ACME_volumes` has the content `ACME_*. *`, specifying `FI:/etc/ACME_volumes` will have the same effect as `-V ACME_*. *`. Using `FI:` to refer to a file for an attribute value works for all attributes.

If the pattern being matched starts with `*LIST:` then rather than matching the literal value, each record in the file specified as `*LIST:filename` will be tested. If one matches the match will succeed.

2021/06/16 02:14 · Scott Cunliffe

[include page](#)

To include multiple Attributes in the report, add the required Attribute indexes separated by a comma (eg. -A 1,2,5).

2021/07/02 01:35 · Scott Cunliffe

[include page](#)

Notes

Running TMSS10Inventory in mode 1 (default) will produce a report with the values: Sequence, [Barcode](#), Location, [Repository](#), Next Move, Days, Last Move, GDup (Global Duplicate), CDup (Customer Duplicate) and Container.

Running TMSS10Inventory in mode 2 will produce a report with the values: Sequence, [Customer](#), [Media](#), Total and Moving total.

TMSS10Inventory output can include up to twenty attributes in the one report. To include more than one attribute, include attribute indexes seperated by commas using -A in the program call. For example to add attributes 0, 1 and 3 in the report use -A "0,1,3.

If the report is output to text, CSV, PDF attribute values over 30 characters long will be truncated to 28 characters and two full stops to indicate a truncated value (eg ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890 will show as ABCDEFGHIJKLMNOPQRSTUVWXYZ12..). Reports output to Excel will show full attribute values irrespective of character length.

Mode 1

Report-ID: 100

Mode 2

Report-ID: 101

Technical Support

The TapeTrack Software is commercially supported by a full-time help desk staff. If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

Environment

Files

stdout: Output Reports.

stderr: Diagnostic messages.

stdin: Program input.

Example

Customer US03 LTO inventory - Report Format 1

Command line syntax

```
TMSS10Inventory -S user:-password@server -V "US01.*.*" -M 1
```

Output

```

System: TapeTrack
Report Description: Inventory List
Production Time: Monday, January 24, 2022 - 11:53:11 (AUS Eastern
Daylight Time)
Report Width: 164 bytes

```

Seq.	Barcode	Location	Repository
Expiry	Next Move	Last Move	GDup CDup Container
1	US01.CONT.CONT001	No-Alloc [0]	Offsite Vault
Permanent	Permanent	2021-11-18 09:12:08	2 1 Is-Container:1
2	US01.CONT.CONT002	No-Alloc [0]	Offsite Vault
Permanent	Permanent	2022-01-24 11:47:01	2 1 Is-Container:7
3	US01.CONT.CONT003	No-Alloc [0]	Library
Permanent	Permanent		2 1 Is-Container:0
4	US01.CONT.CONT004	No-Alloc [0]	Library
Permanent	Permanent		2 1 Is-Container:0
5	US01.CONT.CONT005	No-Alloc [0]	Library
Permanent	Permanent		2 1 Is-Container:0
6	US01.CONT.CONT006	No-Alloc [0]	Library
Permanent	Permanent		2 1 Is-Container:0
7	US01.CONT.CONT007	No-Alloc [0]	Library
Permanent	Permanent		2 1 Is-Container:0
8	US01.CONT.CONT008	No-Alloc [0]	Library
Permanent	Permanent		2 1 Is-Container:0
9	US01.CONT.CONT009	No-Alloc [0]	Library
Permanent	Permanent		2 1 Is-Container:0

10	US01.CONT.CONT010	No-Alloc [0]				Library
Permanent	Permanent		2	1	Is-Container:0	
[1]	11 US01.LT0.000000L4	Blue1 [1.1]				Offsite Vault
	Permanent	2022-04-24 2021-12-10	10:39:48			2 1
[2]	12 US01.LT0.000001L4	Blue1 [1.2]				Offsite Vault
	Permanent	2022-04-24 2021-12-10	10:39:48			2 1
[3]	13 US01.LT0.000002L4	Blue1 [1.3]				Offsite Vault
	Permanent	2022-04-24 2021-12-10	10:39:48			2 1
[4]	14 US01.LT0.000003L4	Blue1 [1.4]				Offsite Vault
	Permanent	2022-04-24 2021-12-10	10:39:48			2 1
[5]	15 US01.LT0.000004L4	Blue1 [1.5]				Offsite Vault
	Permanent	2022-04-24 2021-12-10	10:39:48			2 1
[6]	16 US01.LT0.000005L4	Blue1 [1.6]				Offsite Vault
	Permanent	2022-04-24 2021-12-10	10:39:48			2 1
	17 US01.LT0.000006L4	No-Alloc [0]				Library
Permanent	Permanent	2021-12-10 09:29:30	2	1		
	18 US01.LT0.000007L4	No-Alloc [0]				Library
Permanent	Permanent	2021-11-18 09:11:57	2	1	US01.CONT.CONT001	
	19 US01.LT0.000008L4	No-Alloc [0]				Library
Permanent	Permanent	2021-12-10 10:41:57	2	1		
	20 US01.LT0.000009L4	No-Alloc [0]				Library
Permanent	Permanent	2021-12-10 10:41:57	2	1		
	21 US01.LT0.000010L4	No-Alloc [0]				Library
Permanent	Permanent	2021-12-10 10:41:57	2	1		
[11]	22 US01.LT0.000011L4	Blue1 [2.1]				Offsite Vault
	Permanent	Permanent 2021-12-10	10:48:24			2 1
[12]	23 US01.LT0.000012L4	Blue1 [2.2]				Offsite Vault
	Permanent	Permanent 2021-12-10	10:48:24			2 1

Column Heading	Description
Seq	Record sequence number
Barcode	Volume-ID. Default is fully qualified barcode, use TMSSUNQUALIFIEDVOLUME to list unqualified Volume-ID's
Location	Volume location: No-Alloc [0] = no Slot allocated, 1:2 [1.3] = Zone-ID 1:2, Shelf 1, Slot 3
Repository	Repository Volume is currently located in
Expiry	Expiry of retention date
Next Move	Date of next move, Permanent = No next move
Last Move	Last date the Volume was moved
GDup	Global wide number of the Volume-ID, 1 = one instance or no duplicates
CDup	Customer wide number of the Volume-ID, 1 = one instance or no duplicates
Container	Container-ID if Volume is assigned to a Container, blank = not assigned to a Container.

Customer US03 LTO inventory - Report Format 2

Command line syntax

```
TMSS10Inventory -S user:-password@server -V "US01.*.*" -M 2
```

Output

```

      System: TapeTrack
      Report ID: 101
      Report Description: Volume Inventory Extract
      Production Time: Monday, January 24, 2022 - 11:56:02 (AUS Eastern
Daylight Time)
      Report Width: 92 bytes

```

Seq.	Customer	Media	Total
Moving			
-----	-----	-----	-----
10	1 New York Data Center 0	Container	
103	2 New York Data Center 32	LT0 Cartridge	
-----	-----	-----	-----

TMSS10Inventory Changelog
 Cannot load rss feed.

From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
<https://rtfm.tapetrack.com/cli/tmss10inventory?rev=1653447909>

Last update: **2025/01/21 22:07**

