

# TMSS10IRM\_Reconcile

## Synopsis

```
TMSS10IRM_Reconcile [-I iron mountain accounts] [-S logon string] [-U date
format] [-m customer mapping file] [-n number of records to skip]
```

## Description

Processes an Iron Mountain inventory file and produces a TapeTrack scan file to be used for reconciliation.

## Options

- -I Iron Mountain account inclusions (default = \*)
- -S The Logon string argument sets the [Server Logon Information](#).
- -U Dates are in MMDDYYYY (US) format not DDMMYY (default = false)
- -m [Customer Mapping File](#), used to map Iron Mountain account numbers to [Customer-ID's](#) (default = NULL)
- -n Number of records at beginning of Inventory File to skip=1

## Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff. If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

## Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

## Environment

## Files

**stdout:** Output Reports.

**stderr:** Diagnostic messages.

**stdin:** Program input.

## Example

### Command line syntax

```
TMSS10IRM_Reconcile -S user:-password@server -U -m "mapping.txt"
```

## See Also

[Command Line Utility Troubleshooting and Diagnosis](#)

Changelog

Cannot load rss feed.

From:  
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**



Permanent link:  
[https://rtfm.tapetrack.com/cli:tmss10irm\\_reconcile](https://rtfm.tapetrack.com/cli:tmss10irm_reconcile)

Last update: **2025/07/04 04:54**