

# TMSS10IRM\_Reconcile

## Synopsis

```
TMSS10IRM_Reconcile [-I iron mountain accounts] [-S logon string] [-U date
format] [-m customer mapping file] [-n number of records to skip] =====
Description ===== Processes an Iron Mountain inventory file and produces a
TapeTrack scan file to be used for reconciliation. ===== Options ===== * -I
Iron Mountain account inclusions (default = *) * -S The logon string argument
sets the Server logon information. * -U Dates are in MMDDYYYY (US) format not
DDMMYY (default = false) * -m Customer Mapping File, used to map Iron
Mountain account numbers to TapeTrack customer-ID's (default = NULL) * -n"
Number of records at beginning of Inventory File to skip=1
```

## Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff. If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

## Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

## Environment

## Files

**stdout:** Output Reports.

**stderr:** Diagnostic messages.

**stdin:** Program input.

## Example

### Command line syntax

## TMSS10

### Output

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

[https://rtfm.tapetrack.com/cli/tmss10irm\\_reconcile?rev=1527216141](https://rtfm.tapetrack.com/cli/tmss10irm_reconcile?rev=1527216141)

Last update: **2025/01/21 22:07**

