

TMSS10IRM_Reconcile

Synopsis

```
TMSS10IRM_Reconcile [-I iron mountain accounts] [-S logon string] [-U date  
format] [-m customer mapping file] [-n number of records to skip]
```

Description

Processes an Iron Mountain inventory file and produces a TapeTrack scan file to be used for reconciliation.

Options

- -I Iron Mountain account inclusions (default = *)
- -S The logon string argument sets the [Server logon information](#).
- -U Dates are in MMDDYYYY (US) format not DDMMYYYY (default = false)
- -m [Customer Mapping File](#), used to map Iron Mountain account numbers to TapeTrack Customer-ID's (default = NULL)
- -n Number of records at beginning of Inventory File to skip=1

Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff. If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

Environment

Files

stdout: Output Reports.

stderr: Diagnostic messages.

stdin: Program input.

Example

Command line syntax

```
TMSS10IRM_Reconcile -S user:-password@server -U -m "mapping.txt"
```

Changelog

Cannot load rss feed.

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

https://rtfm.tapetrack.com/cli/tmss10irm_reconcile?rev=1572906759

Last update: **2025/01/21 22:07**

