

TMSS10ListClients

TMSS10ListClients lists all TapeTrack software that has connected to the [TapeTrack Server](#) within the specified date range.

Synopsis

```
TMSS10ListClients [-R date range] [-S logon string]
```

Options

- -R Specifies the date range.
- -S The Logon string argument sets the [Server Logon Information.v](#)

If an argument value starts with the value `FI:`, the value for that attribute will be read from the file name specified immediately after it. For example, if a file named `ACME_volumes` has the content `ACME_*. *`, specifying `FI:/etc/ACME_volumes` will have the same effect as `-V ACME. *. *`. Using `FI:` to refer to a file for an attribute value works for all attributes.

If the pattern being matched starts with `*LIST:` then rather than matching the literal value, each record in the file specified as `*LIST:filename` will be tested. If one matches the match will succeed.

2021/06/16 02:14 · Scott Cunliffe

[include page](#)

Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff.

If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

Environment

Files

stdout: Output Reports.

stderr: Diagnostic messages.

stdin: Program input.

Example

Command line syntax

```
TMSS10ListClients -S user:-password@server
```

Output

```

                System: TapeTrack
Report Description: Client Usage
  Production Time: Monday, November 20, 2017 - 14:27:30 (AUS Eastern
Daylight Time)
    Report Width: 158 bytes

```

| Seq. | Product | MACID | Count | Last User |
|------------|----------------------|-------------------------|-------|------------|
| Last Date | IP | | | |
| 1 | TapeTrack TapeMaster | 00:23:18:18:cc:87:00:00 | 1 | jsmith |
| 2017-02-10 | | | | |
| 2 | TapeTrack TapeMaster | 00:c3:18:c2:41:55:00:00 | 12 | amclowd |
| 2017-10-25 | | | | |
| 3 | TapeTrack TapeMaster | 98:22:d3:38:05:b4:00:00 | 40 | jsmith |
| 2017-11-08 | | | | |
| 4 | TapeTrack TapeMaster | 10:a2:fa:8e:02:e5:00:00 | 255 | tapemaster |
| 2017-11-02 | | | | |
| 5 | TapeTrack TapeMaster | 01:02:c5:b5:b6:54:00:00 | 403 | jsmith |
| 2017-11-16 | | | | |
| 6 | TapeTrack Sync | 00:2c:29:e5:8b:29:00:00 | 7 | jsmith |
| 2017-02-03 | | | | |
| 7 | TapeTrack Checkpoint | 00:3c:fa:5e:02:e5:00:00 | 4 | amclowd |
| 2017-06-28 | | | | |
| 8 | TapeTrack Checkpoint | 10:03:b5:0c:b6:53:00:00 | 16 | jsmith |
| 2017-10-26 | | | | |
| 9 | TapeTrack Lite | 00:2c:29:2d:92:07:00:00 | 15 | jsmith |
| 2017-09-06 | | | | |
| 10 | TapeTrack Lite | 10:2c:fa:8e:02:f5:00:00 | 38 | amclowd |
| 2017-07-27 | | | | |

Changelog

Cannot load rss feed.

From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
<https://rtfm.tapetrack.com/cli/tmss10listclients?rev=1737497272>

Last update: **2025/01/21 22:07**

