

# TMSS10ListContainer

TMSS10ListContainer lists containers and any assigned Volumes

## Synopsis

```
TMSS10ListContainer [-A attribute index] [-S logon string] [-V volume filter]
[-c configuration file] [-s sync friendly output]
```

## Options

- -A Extended Attribute index (default = 0).
- -S The Logon string argument sets the [Server Logon Information](#).
- -V [Volume Filter](#) which can be used to filter the traversal of Customer, Media, Volume, repository and flag values.
- -c The config file argument specifies the path to the Batch Configuration File. The Batch Configuration File allows you to perform advanced traversal of [Customer](#), [Media](#) and [Volumes](#), perform advanced Barcode pre and post processing and route program output to syslogd.
- -s Produces output in a sync friendly format, including listing container-id relisted for each Volume entry.

If an argument value starts with the value FI:, the value for that attribute will be read from the file name specified immediately after it. For example, if a file named ACME\_volumes has the content ACME\_\*.\*, specifying FI:/etc/ACME\_volumes will have the same effect as -V ACME.\*.\*. Using FI: to refer to a file for an attribute value works for all attributes.

If the pattern being matched starts with \*LIST: then rather than matching the literal value, each record in the file specified as \*LIST:filename will be tested. If one matches the match will succeed.

2021/06/16 02:14 · Scott Cunliffe

[include page](#)

To include multiple Attributes in the report, add the required Attribute indexes separated by a comma (eg. -A 1,2,5).

2021/07/02 01:35 · Scott Cunliffe

[include page](#)

## Technical Support

The TapeTrack Software is commercially supported by a full-time help desk staff.

If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

## Files

**stdout:** Output Reports.

**stderr:** Diagnostic messages.

## Example

Standard format output

### Command line syntax

```
TMSS10ListContainer -S user:-password@server
```

### Output

---

Sync friendly format output

### Command line syntax

```
TMSS10ListContainer -S user:-password@server
```

### Output

---

From:  
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:  
<https://rtfm.tapetrack.com/cli/tmss10listcontainer?rev=1687494323>

Last update: **2025/01/21 22:07**

