

# TMSS10ListContainer

TMSS10ListContainer lists containers and any assigned Volumes

## Synopsis

```
TMSS10ListContainer [-A attribute index] [-S logon string] [-V volume filter]
[-c configuration file] [-s sync friendly output]
```

## Options

- -A Extended Attribute index (default = 0).
- -S The Logon string argument sets the [Server Logon Information](#).
- -V [Volume Filter](#) which can be used to filter the traversal of Customer, Media, Volume, repository and flag values.
- -c The config file argument specifies the path to the Batch Configuration File. The Batch Configuration File allows you to perform advanced traversal of [Customer](#), [Media](#) and [Volumes](#), perform advanced Barcode pre and post processing and route program output to syslogd.
- -s Produces output in a sync friendly format, including listing container-id relisted for each Volume entry.

If an argument value starts with the value FI:, the value for that attribute will be read from the file name specified immediately after it. For example, if a file named ACME\_volumes has the content ACME\_\*.\*, specifying FI:/etc/ACME\_volumes will have the same effect as -V ACME.\*.\*. Using FI: to refer to a file for an attribute value works for all attributes.

If the pattern being matched starts with \*LIST: then rather than matching the literal value, each record in the file specified as \*LIST:filename will be tested. If one matches the match will succeed.

2021/06/16 02:14 · Scott Cunliffe

[include page](#)

To include multiple Attributes in the report, add the required Attribute indexes separated by a comma (eg. -A 1,2,5).

2021/07/02 01:35 · Scott Cunliffe

[include page](#)

## Technical Support

The TapeTrack Software is commercially supported by a full-time help desk staff.

If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

## Files

**stdout:** Output Reports.

**stderr:** Diagnostic messages.

## Example

### Standard format output

### Command line syntax

```
TMSS10ListContainer -S user:-password@server
```

## Output

```
System: TapeTrack
Report ID: 123
Report Description: Container List
Production Time: Friday, June 23, 2023 - 14:35:23 (AUS Eastern Standard Time)
Report Width: 79 bytes
```

| Seq. | Barcode           | Capacity Used | Item | Content  |
|------|-------------------|---------------|------|--|
| 1    | US01.CONT.CONT001 | 8             |      | 1 US01.LT0.000001L6<br>2 US01.LT0.000002L6<br>3 US01.LT0.000003L6<br>4 US01.LT0.000004L6<br>5 US01.LT0.000005L6<br>6 US01.LT0.000006L6<br>7 US01.LT0.000007L6<br>8 US01.LT0.000008L6 |
| 2    | US01.CONT.CONT002 |               |      |  |
| 3    | US01.CONT.CONT003 | 7             |      | 1 US01.LT0.000011L6<br>2 US01.LT0.000012L6<br>3 US01.LT0.000013L6<br>4 US01.LT0.000014L6<br>5 US01.LT0.000015L6<br>6 US01.LT0.000018L6<br>7 US01.LT0.000021L6                        |
| 4    | US01.CONT.CONT004 | 5             |      | 1 US01.LT0.000025L6<br>2 US01.LT0.000027L6<br>3 US01.LT0.000030L6<br>4 US01.LT0.000031L6<br>5 US01.LT0.000033L6  |

```
5 US01.CONT.CONT005
6 US01.CONT.CONT006
7 US01.CONT.CONT007
8 US01.CONT.CONT008
9 US01.CONT.CONT009
10 US01.CONT.CONT010
-----
--
```

Sync friendly format output

## Command line syntax

```
TMSS10ListContainer -S user:-password@server
```

## Output

From:  
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:  
<https://rtfm.tapetrack.com/cli/tmss10listcontainer?rev=1687494991>

Last update: **2025/01/21 22:07**

