

TMSS10ListContainer

TMSS10ListContainer lists containers and any assigned Volumes

Synopsis

```
TMSS10ListContainer [-A attribute index] [-S logon string] [-V volume filter]
[-c configuration file] [-s sync friendly output]
```

Options

- -A Extended Attribute index (default = 0).
- -S The Logon string argument sets the [Server Logon Information](#).
- -V [Volume Filter](#) which can be used to filter the traversal of Customer, Media, Volume, repository and flag values.
- -c The config file argument specifies the path to the Batch Configuration File. The Batch Configuration File allows you to perform advanced traversal of [Customer](#), [Media](#) and [Volumes](#), perform advanced Barcode pre and post processing and route program output to syslogd.
- -s Produces output in a sync friendly format, including listing container-id relisted for each Volume entry.

If an argument value starts with the value FI:, the value for that attribute will be read from the file name specified immediately after it. For example, if a file named ACME_volumes has the content ACME_*.*, specifying FI:/etc/ACME_volumes will have the same effect as -V ACME.*.*. Using FI: to refer to a file for an attribute value works for all attributes.

If the pattern being matched starts with *LIST: then rather than matching the literal value, each record in the file specified as *LIST:filename will be tested. If one matches the match will succeed.

2021/06/16 02:14 · Scott Cunliffe

[include page](#)

To include multiple Attributes in the report, add the required Attribute indexes separated by a comma (eg. -A 1,2,5).

2021/07/02 01:35 · Scott Cunliffe

[include page](#)

Technical Support

The TapeTrack Software is commercially supported by a full-time help desk staff.

If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

Files

stdout: Output Reports.

stderr: Diagnostic messages.

Example

Standard format output

Command line syntax

```
TMSS10ListContainer -S user:-password@server
```

Output

```
System: TapeTrack
Report ID: 123
Report Description: Container List
Production Time: Friday, June 23, 2023 - 14:35:23 (AUS Eastern Standard Time)
Report Width: 79 bytes
```

| Seq. | Barcode | Capacity Used | Item | Content |
|------|-------------------|---------------|------|--|
| 1 | US01.CONT.CONT001 | 8 | | 1 US01.LT0.000001L6 2 US01.LT0.000002L6 3 US01.LT0.000003L6 4 US01.LT0.000004L6 5 US01.LT0.000005L6 6 US01.LT0.000006L6 7 US01.LT0.000007L6 8 US01.LT0.000008L6 |
| 2 | US01.CONT.CONT002 | | | |
| 3 | US01.CONT.CONT003 | 7 | | 1 US01.LT0.000011L6 2 US01.LT0.000012L6 3 US01.LT0.000013L6 4 US01.LT0.000014L6 5 US01.LT0.000015L6 6 US01.LT0.000018L6 7 US01.LT0.000021L6 |
| 4 | US01.CONT.CONT004 | 5 | | 1 US01.LT0.000025L6 2 US01.LT0.000027L6 3 US01.LT0.000030L6 4 US01.LT0.000031L6 5 US01.LT0.000033L6 |

```

5 US01.CONT.CONT005
6 US01.CONT.CONT006
7 US01.CONT.CONT007
8 US01.CONT.CONT008
9 US01.CONT.CONT009
10 US01.CONT.CONT010

```

Sync friendly format output

Command line syntax

```
TMSS10ListContainer -S user:-password@server
```

Output

```

      System: TapeTrack
      Report ID: 123
      Report Description: Container List
      Production Time: Friday, June 23, 2023 - 14:37:25 (AUS Eastern Standard
Time)
      Report Width: 79 bytes

```

| Seq. | Barcode | Capacity Used | Item | Content |
|------|-------------------|---------------|------|-------------------|
| 1 | US01.CONT.CONT001 | 8 | 1 | US01.LTO.000001L6 |
| 1 | US01.CONT.CONT001 | 8 | 2 | US01.LTO.000002L6 |
| 1 | US01.CONT.CONT001 | 8 | 3 | US01.LTO.000003L6 |
| 1 | US01.CONT.CONT001 | 8 | 4 | US01.LTO.000004L6 |
| 1 | US01.CONT.CONT001 | 8 | 5 | US01.LTO.000005L6 |
| 1 | US01.CONT.CONT001 | 8 | 6 | US01.LTO.000006L6 |
| 1 | US01.CONT.CONT001 | 8 | 7 | US01.LTO.000007L6 |
| 1 | US01.CONT.CONT001 | 8 | 8 | US01.LTO.000008L6 |
| 2 | US01.CONT.CONT002 | | | |
| 3 | US01.CONT.CONT003 | 7 | 1 | US01.LTO.000011L6 |
| 3 | US01.CONT.CONT003 | 7 | 2 | US01.LTO.000012L6 |
| 3 | US01.CONT.CONT003 | 7 | 3 | US01.LTO.000013L6 |
| 3 | US01.CONT.CONT003 | 7 | 4 | US01.LTO.000014L6 |
| 3 | US01.CONT.CONT003 | 7 | 5 | US01.LTO.000015L6 |
| 3 | US01.CONT.CONT003 | 7 | 6 | US01.LTO.000018L6 |
| 3 | US01.CONT.CONT003 | 7 | 7 | US01.LTO.000021L6 |
| 4 | US01.CONT.CONT004 | 5 | 1 | US01.LTO.000025L6 |
| 4 | US01.CONT.CONT004 | 5 | 2 | US01.LTO.000027L6 |
| 4 | US01.CONT.CONT004 | 5 | 3 | US01.LTO.000030L6 |
| 4 | US01.CONT.CONT004 | 5 | 4 | US01.LTO.000031L6 |
| 4 | US01.CONT.CONT004 | 5 | 5 | US01.LTO.000033L6 |

- 5 US01.CONT.CONT005
 - 6 US01.CONT.CONT006
 - 7 US01.CONT.CONT007
 - 8 US01.CONT.CONT008
 - 9 US01.CONT.CONT009
 - 10 US01.CONT.CONT010
-
-

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://rtfm.tapetrack.com/cli/tmss10listcontainer?rev=1687495064>

Last update: **2025/01/21 22:07**

