2025/12/01 12:51 1/4 TMSS10ListHistory

# **TMSS10ListHistory**

TMSS10ListHistory lists the Storage History for each Repository within the specified date range.

# **Synopsis**

TMSS10ListHistory [-A attribute index] [-C current location] [-I interface filter] [M mode] [-R date range] [-S logon string] [-T target location] [-V volume filter] [-c configuration file] [-t type] [-u user]

## **Options**

- - A Extended Attribute index (default = 0).
- C Current Volume location.
- - I Interface Filter allows filtering of results by Desktop Software Interface.
- -M Report mode (default = 1).
- -R Specifies the date range.
- -S The Logon string argument sets the Server Logon Information.
- -T Volume target location.
- -V Volume Filter which can be used to filter the traversal of Customer, Media, Volume, repository and Flag values.
- -c The config file argument specifies the path to the Batch Configuration File. The Batch Configuration File allows you to perform advanced traversal of Customer, Media and Volumes, perform advanced Barcode pre and post processing and route program output to syslogd.
- -t Type allows filtering of results by type of database entry.
- -u User allows filtering of results by User-ID.

If an argument value starts with the value FI:, the value for that attribute will be read from the file name specified immediately after it. For example, if a file named ACME\_volumes has the content ACME\_\*.\*, specifying FI:/etc/ACME\_volumes will have the same effect as -V ACME.\*.\*. Using FI: to refer to a file for an attribute value works for all attributes.

If the pattern being matched starts with \*LIST: then rather than matching the literal value, each record in the file specified as \*LIST:filename will be tested. If one matches the match will succeed.

2021/06/16 02:14 · Scott Cunliffe include page

To include multiple Attributes in the report, add the required Attribute indexes separated by a comma (eg. -A 1,2,5).

2021/07/02 01:35 · Scott Cunliffe include page

### **Notes**

Last update: 2025/01/21 22:07

Mode 1

Report-ID: 104

Mode 2

Report-ID: 105

Mode 3

Report-ID: 113

Mode 4

Report-ID: 121

Mode 5

Report-ID: 121

### **Technical Support**

The TapeTrack Software is commercially supported by a full-time help desk staff.

If you are experiencing problems or want some advice on how to configure or use the product please see the Accessing Technical Support page.

### **Exit Statuses**

- 1. zero Program has ended successfully.
- 2. non-zero Program has not ended successfully.

### **Environment**

### **Files**

**stdout:** Output Reports.

**stderr:** Diagnostic messages.

stdin: Program input.

# **Example**

### **Command line syntax - Mode 1**

List history of all LTO Volumes in Customer US02 moved to Repository Offsite by User jsmith between 10 days ago and today.

https://rtfm.tapetrack.com/ Printed on 2025/12/01 12:51

2025/12/01 12:51 3/4 TMSS10ListHistory

TMSS10ListHistory -S user:-password@server -V "US02.LT0.\*" -I "\*TapeMaster\*" -R "\*-10:\*" -T "OFFS" -u "jsmith"

#### **Output**

```
System: TapeTrack
         Report ID: 104
Report Description: TapeTrack Volume History Report (Mode 1)
      Report Notes: From 2020-07-02 to 2020-07-03 (2 days)
   Production Time: Friday, July 03, 2020 - 10:01:51 (AUS Eastern Standard
Time)
      Report Width: 300 bytes
                                                       Old
Barcode
                  Seque Time
                                             User
                                                                  New
Move Date
            Container Flags
                                                      Notes
                              Interface
US02.LT0.000037L6
                      1 2017-11-18 10:38:45 jsmith
                                                      LIBR:0
                                                                  0FFS:0
Permanent
           None
                      CMn
                              TapeTrack TapeMaster
                                                      [Target]
US02.LT0.000037L6
                      2 2017-11-20 12:38:50 jsmith
                                                      LIBR:0
                                                                  0FFS:0
                              TapeTrack TapeMaster
Permanent
           None
                                                      [Scanned-In]
```

#### **Report Columns**

<b>Column Heading</b>	Description
Seq	Record sequence number
IRarcone	Volume-ID. Default is fully qualified barcode, use TMSSUNQUALIFIEDVOLUME to list unqualified Volume-ID's

### **Command line syntax - Mode 2**

List history of all Scanned-In Media in Customer US03, in Mode 2, moving to or from Repositories LIBR and OFFS, within the last month showing Attribute 1 (Long Barcode).

```
TMSS10ListHistory -S user:-password@server -M 2 -V US03.*.* -R M-2:m-0 -t *In* -T "*(OFFS|LIBR)" -C "*(OFFS|LIBR)"
```

### **Output**

System: TapeTrack Report ID: 105

Report Description: TapeTrack Volume History Report (Mode 2)

Report Notes: From 2019-03-01 to 2019-03-31 (31 days)

Time)			26,	2019 - 08:42:13 (AUS	Eastern Standard		
Report Width: 152 bytes							
Date Old	Time New	Difference Notes		Barcode	User Attribute		
2019-03-2	6 09:05:2	3		US03.LT0.X-539AE4EE	doco		
LIBR:0	OFFS:0	[Scanned-In]			12345678901		
09:05:23 S0			S0	US03.LT0.X-CA93B554	doco		
LIBR:0	OFFS:0	[Scanned-In]			12345678902		
	09:05:3		S9	US03.LT0.X-539AE4EE	doco		
OFFS:0	LIBR:0	[Scanned-In]			12345678901		
09:05:32 S0			US03.LT0.X-CA93B554	doco			
OFFS:0	LIBR:0	[Scanned-In]			12345678902		

### Changelog

Changelog Cannot load rss feed.

From:

https://rtfm.tapetrack.com/ - TapeTrack Documentation

Permanent link:

https://rtfm.tapetrack.com/cli/tmss10listhistory?rev=1672877358

Last update: 2025/01/21 22:07



https://rtfm.tapetrack.com/ Printed on 2025/12/01 12:51