

TMSS10Mirror

TMSS10Mirror will replicate location information from one TapeTrack Server to another.

Synopsis

```
TMSS10Mirror [-P phases] [-S logon string] [-c configuration file]
```

Options

- -P Phases to execute.
- -S The Logon string argument sets the [Server Logon Information](#).
- -c The config file argument specifies the path to the Batch Configuration File. The Batch Configuration File allows you to perform advanced traversal of [Customer](#), [Media](#) and [Volumes](#), perform advanced Barcode pre and post processing and route program output to syslogd.

If an argument value starts with the value FI:, the value for that attribute will be read from the file name specified immediately after it. For example, if a file named ACME_volumes has the content ACME_*.*, specifying FI:/etc/ACME_volumes will have the same effect as -V ACME.*.*. Using FI: to refer to a file for an attribute value works for all attributes.

If the pattern being matched starts with *LIST: then rather than matching the literal value, each record in the file specified as *LIST:filename will be tested. If one matches the match will succeed.

2021/06/16 02:14 · Scott Cunliffe

[include page](#)

Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff.

If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

Environment

Files

stdout: Output Reports.

stderr: Diagnostic messages.

stdin: Program input.

Example

Config File

mirror.cfg contains the IP address of the mirror server as well as the user/password to login in.

```
traversal =
{
    customer =
    (
        {
            id = "*";
            media =
            (
                {
                    id = "*";
                    remote =
                    {
                        address="mirror_server.tapetrack.com";
                        userid="mirror_user";
                        password="mirror_password";
                    };
                }
            );
        }
    );
};
```

Command line syntax

```
TMSS10Mirror -S user:-password@server -c "C:\Program
Files\TapeTrack\TapeTrack Framework Server\etc\mirror.cfg"
```

Output

Mirror Report (Detail)

System: TapeTrack

Report Description: Mirror Report (Detail)

Report Notes: Local Customer(Nashville Data Center) Media(LTO Cartridge)

Production Time: Thursday, April 19, 2018 - 11:26:51 (AUS Eastern Standard Time)

Report Width: 163 bytes

Seq.	Step	Volume-ID	Remote-ID	Notes
Source	User-ID	Source	Date/Time	
				Local server set to 127.0.0.1
				Remote server set to
192.168.0.177				
Server	1	1 000017L5	US04.LTO.000017L5	New Volume added to Remote doco
2018-04-19 11:30:50	2	1 000018L5	US04.LTO.000018L5	New Volume added to Remote doco
Server	3	3 000001L5	US04.LTO.000001L5	Target Repository updated from doco
2018-04-19 11:30:50	4	3 000002L5	US04.LTO.000002L5	Target Repository updated from doco
LIBR to OFFS	5	3 000003L5	US04.LTO.000003L5	Target Repository updated from doco
2018-04-19 11:25:50	6	3 000007L6	US04.LTO.000007L6	Target Repository updated from doco
LIBR to OFFS	7	3 000008L5	US04.LTO.000008L5	Target Repository updated from doco
2018-04-19 11:25:50	8	3 000008L6	US04.LTO.000008L6	Target Repository updated from doco
OFFS to LIBR	9	4 000004L5	US04.LTO.000004L5	Remote Scanned Repository doco
2018-04-19 11:26:19	updated to LIBR			
2018-04-19 11:26:19	10	4 000004L6	US04.LTO.000004L6	Remote Scanned Repository doco
OFFS to LIBR	11	4 000005L5	US04.LTO.000005L5	Remote Scanned Repository doco
2018-04-19 11:29:02	updated to LIBR			
2018-04-19 11:29:02	12	4 000009L5	US04.LTO.000009L5	Remote Scanned Repository doco
updated to OFFS				
2018-04-19 11:28:21				

13	4	000009L6	US04.LT0.000009L6	Remote	Scanned	Repository
updated to	OFFS			doco		
2018-04-19	11:28:21					
14	5	000008L6	US04.LT0.000008L6	Local	Scanned	Repository
updated to	LIBR			doco		
2018-04-19	11:28:21					

Mirror Report (Extract)

System: TapeTrack

Report Description: Mirror Report (Extract)

Production Time: Thursday, April 19, 2018 - 11:26:51 (AUS Eastern Standard Time)

Report Width: 122 bytes

Phase

Executed	Elapsed	Updates	Errors
----------	---------	---------	--------

Phase 1: Adding missing Volumes to remote server (Local to Remote)

Run	S0	2	0
-----	----	---	---

Phase 2: Adding missing Volumes to local server (Remote to Local)

Run	S0	0	0
-----	----	---	---

Phase 3: Synchronizing Target Repositories (Local to Remote)

Run	S0	6	0
-----	----	---	---

Phase 4: Synchronizing Scanned Repositories (Local to Remote)

Run	S0	5	0
-----	----	---	---

Phase 5: Synchronizing Scanned Repositories (Remote to Local)

Run	S0	1	0
-----	----	---	---

See Also

[Command Line Utility Troubleshooting and Diagnosis](#)

[Changelog](#)

Cannot load rss feed.

From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**



Permanent link:
<https://rtfm.tapetrack.com/cli/tmss10mirror>

Last update: **2025/07/04 04:50**