

# TMSS10ModifyFlags

## Synopsis

```
TMSS10ModifyFlags [-F new flags] [-S logon string] [-V volume filter] [-c configuration file]
```

## Description

TMSS10ModifyFlags adds and removes editable [flags](#) through the command line interface.

## Options

- -F Adds or removes flags from volumes.
- -S The logon string argument sets the [Server logon information](#)
- -V [Volume Filter](#) which can be used to filter the traversal of Customer, Media, Volume, repository and flag values.
- -c The config file argument specifies the path to the Batch Configuration File. The Batch Configuration File allows you to perform advanced traversal of Customer, Media and Volumes, perform advanced barcode pre and post processing and route program output to syslogd.

## Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff. If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

## Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

## Files

**stdout:** Output Reports.

**stderr:** Diagnostic messages.

## Example

### Command line syntax

```
TMSS10ModifyFlags -S user:-password@server -V "*US04.LT0.*@OFFS" -F E
```

### Output

```

                System: TapeTrack
Report Description: Flag Modification Report
  Production Time: Friday, April 20, 2018 - 09:43:19 (AUS Eastern Standard
Time)
  Report Width: 156 bytes

Seq.   Barcode           Old Flags           New Flags
Message
-----
      1 US04.LT0.000005L6   CnN0tZ             CEnN0tZ
Request OK
      2 US04.LT0.000006L5   CnN0t              CEnN0t
Request OK
      3 US04.LT0.000006L6   CnN0t              CEnN0t
Request OK
      4 US04.LT0.000007L5   CnN0t              CEnN0t
Request OK
      5 US04.LT0.000007L6   CMnNt              CEMnNt
Request OK
      6 US04.LT0.000008L5   CMnNt              CEMnNt
Request OK
      7 US04.LT0.000009L5   CnN0t              CEnN0t
Request OK
      8 US04.LT0.000009L6   CnN0t              CEnN0t
Request OK
-----
-----

```

### Example



Use flag values to add to volumes.  
Prefix flag values with ! to remove from volumes

To set the encrypted flag on all LTO tapes:

```
TMSS10ModifyFlags -S tapemaster:-password@localhost -F "E" -V "*.LT0.*"
```

Removing the W (Warning) flag from all volumes

```
TMSS10ModifyFlags -S tapemaster:-password@localhost -F "!W"
```

## Changelog

Cannot load rss feed.

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://rtfm.tapetrack.com/cli/tmss10modifyflags?rev=1531427797>

Last update: **2025/01/21 22:07**

