

# TMSS10MoveDateList

TMSS10MoveDateList lists all volumes that are set to move within the specified date range.

## Synopsis

```
TMSS10MoveDateList [-S logon string] [-V volume filter] [-c configuration file] [-e expiry] [-r range]
```

## Options

- -S The Logon string argument sets the [Server Logon Information](#)
- -V [Volume Filter](#) which can be used to filter the traversal of [Customer](#), [Media](#), [Volume](#), [Repository](#) and [Flag](#) values.
- -c The config file argument specifies the path to the Batch Configuration File. The Batch Configuration File allows you to perform advanced traversal of [Customer](#), [Media](#) and [Volumes](#), perform advanced Barcode pre and post processing and route program output to syslogd.
- -e Use expiry date rather than Next move date: default = false
- -r Day range, 0 = all, -n = Last n entries in list, +n = First n entries in list.

If an argument value starts with the value **FI:**, the value for that attribute will be read from the file name specified immediately after it. For example, if a file named ACME\_volumes has the content **ACME\_\*.\***, specifying **FI:/etc/ACME\_volumes** will have the same effect as **-V ACME.\*.\***. Using **FI:** to refer to a file for an attribute value works for all attributes.

If the pattern being matched starts with **\*LIST:** then rather than matching the literal value, each record in the file specified as **\*LIST:filename** will be tested. If one matches the match will succeed.

2021/06/16 02:14 · Scott Cunliffe

[include page](#)

## Notes

Report-ID: 106

## Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff. If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

## Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

## Environment

### Files

**stdout:** Output Reports.

**stderr:** Diagnostic messages.

**stdin:** Program input.

## Example

### Command line syntax

```
TMSS10MoveDateList -S user:-password@server -r "-3" -V "US02.*.*"
```

### Output

```
System: TapeTrack
Report ID: 106
Report Description: Volume Movement Prediction List
Report Notes: Movement Date(Monday, November 27, 2017)
Production Time: Thursday, November 23, 2017 - 12:09:05 (AUS Eastern
Daylight Time)
Report Width: 81 bytes
```

Seq.	Barcode	Repository	Location
1	US02.LT0.000010L6	Library	No-Alloc

```
System: TapeTrack
Report ID: 106
Report Description: Volume Movement Prediction List
Report Notes: Movement Date(Tuesday, November 28, 2017)
Production Time: Thursday, November 23, 2017 - 12:09:05 (AUS Eastern
Daylight Time)
Report Width: 81 bytes
```

Seq.	Barcode	Repository	Location
------	---------	------------	----------

1 US02.LT0.000009L6 Library No-Alloc

System: TapeTrack

Report ID: 106

Report Description: Volume Movement Prediction List

Report Notes: Movement Date(Wednesday, November 29, 2017)

Production Time: Thursday, November 23, 2017 - 12:09:05 (AUS Eastern Daylight Time)

Report Width: 81 bytes

Seq.	Barcode	Repository	Location
------	---------	------------	----------

1 US02.LT0.000007L6 Library No-Alloc

System: TapeTrack

Report ID: 106

Report Description: Volume Movement Prediction List Totals

Production Time: Thursday, November 23, 2017 - 12:09:05 (AUS Eastern Daylight Time)

Report Width: 61 bytes

Seq.	Date	Days	Total
------	------	------	-------

1	Monday, November 27, 2017	3	1
2	Tuesday, November 28, 2017	4	1
3	Wednesday, November 29, 2017	5	1

## See Also


[Command Line Utility Troubleshooting and Diagnosis](#)

[Changelog](#)

Cannot load rss feed.

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**



Permanent link:

<https://rtfm.tapetrack.com/cli/tmss10movedatelist>

Last update: **2025/07/04 04:41**