

# TMSS10MoveDateList

TMSS10MoveDateList lists all volumes that are set to move within the specified date range.

## Synopsis

```
TMSS10MoveDateList [-S logon string] [-V volume filter] [-c configuration file] [-e expiry] [-r range]
```

## Options

- -S The Logon string argument sets the [Server Logon Information](#)
- -V [Volume Filter](#) which can be used to filter the traversal of [Customer](#), [Media](#), [Volume](#), [Repository](#) and [Flag](#) values.
- -c The config file argument specifies the path to the Batch Configuration File. The Batch Configuration File allows you to perform advanced traversal of [Customer](#), [Media](#) and [Volumes](#), perform advanced Barcode pre and post processing and route program output to syslogd.
- -e Use expiry date rather than Next move date: default = false
- -r Day range, 0 = all, -n = Last n entries in list, +n = First n entries in list.

If an argument value starts with the value **FI:**, the value for that attribute will be read from the file name specified immediately after it. For example, if a file named **ACME\_volumes** has the content **ACME\_\*. \***, specifying **FI:/etc/ACME\_volumes** will have the same effect as **-V ACME\_\*. \***. Using **FI:** to refer to a file for an attribute value works for all attributes.

If the pattern being matched starts with **\*LIST:** then rather than matching the literal value, each record in the file specified as **\*LIST:filename** will be tested. If one matches the match will succeed.

2021/06/16 02:14 · Scott Cunliffe  
[include page](#)

## Notes

Report-ID: 106

## Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff. If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

## Exit Statuses

- 1. **zero** Program has ended successfully.
- 2. **non-zero** Program has not ended successfully.

## Environment

## Files

**stdout:** Output Reports.  
**stderr:** Diagnostic messages.  
**stdin:** Program input.

## Example

### Command line syntax

```
TMSS10MoveDateList -S user:-password@server -r "-3" -V "US02.*.*"
```

### Output

System: TapeTrack			
Report ID: 106			
Report Description: Volume Movement Prediction List			
Report Notes: Movement Date(Monday, November 27, 2017)			
Production Time: Thursday, November 23, 2017 - 12:09:05 (AUS Eastern Daylight Time)			
Report Width: 81 bytes			
Seq.	Barcode	Repository	Location
-----	-----	-----	-----
1	US02.LT0.000010L6	Library	No-Alloc
-----	-----	-----	-----
System: TapeTrack			
Report ID: 106			
Report Description: Volume Movement Prediction List			
Report Notes: Movement Date(Tuesday, November 28, 2017)			
Production Time: Thursday, November 23, 2017 - 12:09:05 (AUS Eastern Daylight Time)			
Report Width: 81 bytes			
Seq.	Barcode	Repository	Location

-----			
-----			
1	US02.LT0.000009L6	Library	No-Alloc
-----			
-----			
System: TapeTrack			
Report ID: 106			
Report Description: Volume Movement Prediction List			
Report Notes: Movement Date(Wednesday, November 29, 2017)			
Production Time: Thursday, November 23, 2017 - 12:09:05 (AUS Eastern Daylight Time)			
Report Width: 81 bytes			
Seq.	Barcode	Repository	Location
-----			
1	US02.LT0.000007L6	Library	No-Alloc
-----			
-----			
System: TapeTrack			
Report ID: 106			
Report Description: Volume Movement Prediction List Totals			
Production Time: Thursday, November 23, 2017 - 12:09:05 (AUS Eastern Daylight Time)			
Report Width: 61 bytes			
Seq.	Date	Days	Total
-----			
1	Monday, November 27, 2017	3	1
2	Tuesday, November 28, 2017	4	1
3	Wednesday, November 29, 2017	5	1
-----			

TMSS10MoveDateList Changelog =====  
Cannot load rss feed.

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://rtfm.tapetrack.com/cli/tmss10movedatelist?rev=1653448824>

Last update:

**2025/01/21 22:07**

