

TMSS10MoveLocation

Synopsis

```
TMSS10MoveLocation [-C move only if container moving] [-S logon string] [-V volume] [-X skip volumes assigned to a container] [-c configuration file] [-e exclude volumes already moving] [-f from repository] [-l apply move lock during move] [-t to repository]
```

Description

TMSS10MoveLocation puts selected tapes in a move from one location to another.

Options

- -C Move volume only when assigned container is moving and matches move requirements.
- -S The logon string argument sets the [Server logon information](#)
- -V [Volume Filter](#) which can be used to filter the traversal of Customer, Media, Volume, repository and flag values.
- -X Skip any volumes already assigned to a container.
- -c The config file argument specifies the path to the Batch Configuration File. The Batch Configuration File allows you to perform advanced traversal of Customer, Media and Volumes, perform advanced barcode pre and post processing and route program output to syslogd.
- -e Exclude any volumes that are already in a move status.
- -f Repository to move volumes from.
- -l Apply a move-lock to volumes during move.
- -t Repository to move volumes to.

Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff. If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

Environment

Files

stdout: Output Reports.

stderr: Diagnostic messages.

stdin: Program input.

Example

Command line syntax

Move all US02 LTO volumes with a barcode ending in 5L6.

```
TMSS10MoveLocation -S user:-password@server -V "US02.LT0.*5L6" -f "LIBR" -t "OFFS"
```

Output

```

                System: TapeTrack
Report Description: Volumes Moved
      Report Notes: From(LIBR) To(OFFS)
Production Time: Monday, November 27, 2017 - 12:56:38 (AUS Eastern
Daylight Time)
      Report Width: 92 bytes

```

Seq.	Barcode	From	To
1	US02.LT0.000015L6	Library	Offsite Vault
2	US02.LT0.000035L6	Library	Offsite Vault
3	US02.LT0.000065L6	Library	Offsite Vault
4	US02.LT0.000075L6	Library	Offsite Vault
5	US02.LT0.000085L6	Library	Offsite Vault
6	US02.LT0.000095L6	Library	Offsite Vault
7	US02.LT0.000105L6	Library	Offsite Vault
8	US02.LT0.000115L6	Library	Offsite Vault
9	US02.LT0.000125L6	Library	Offsite Vault
10	US02.LT0.000135L6	Library	Offsite Vault
11	US02.LT0.000145L6	Library	Offsite Vault
12	US02.LT0.000155L6	Library	Offsite Vault
13	US02.LT0.000165L6	Library	Offsite Vault
14	US02.LT0.000175L6	Library	Offsite Vault
15	US02.LT0.000185L6	Library	Offsite Vault
16	US02.LT0.000195L6	Library	Offsite Vault
17	US02.LT0.000205L6	Library	Offsite Vault
18	US02.LT0.000215L6	Library	Offsite Vault

19	US02.LT0.000225L6	Library	Offsite Vault
20	US02.LT0.000235L6	Library	Offsite Vault
21	US02.LT0.000245L6	Library	Offsite Vault
22	US02.LT0.000255L6	Library	Offsite Vault
23	US02.LT0.000265L6	Library	Offsite Vault
24	US02.LT0.000275L6	Library	Offsite Vault
25	US02.LT0.000285L6	Library	Offsite Vault
26	US02.LT0.000295L6	Library	Offsite Vault
27	US02.LT0.000305L6	Library	Offsite Vault
28	US02.LT0.000315L6	Library	Offsite Vault

From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
<https://rtfm.tapetrack.com/cli/tmss10movelocation?rev=1511748853>

Last update: **2025/01/21 22:07**

