

TMSS10MoveLocation

TMSS10MoveLocation puts selected [Volumes](#) in a move from one [Repository](#) to another.

Synopsis

```
TMSS10MoveLocation [-C move only if container moving] [-S logon string] [-V volume] [-X skip volumes assigned to a container] [-c configuration file] [-e exclude volumes already moving] [-f from repository] [-l apply move lock during move] [-t to repository]
```

Options

- -C Move [Volume](#) only when assigned Container is moving and matches move requirements.
- -S The Logon string argument sets the [Server Logon Information](#).
- -V [Volume Filter](#) which can be used to filter the traversal of [Customer](#), [Media](#), [Volume](#), [Repository](#) and [Flag](#) values.
- -X Skip any volumes already assigned to a container.
- -c The config file argument specifies the path to the Batch Configuration File. The Batch Configuration File allows you to perform advanced traversal of [Customer](#), [Media](#) and [Volumes](#), perform advanced Barcode pre and post processing and route program output to syslogd.
- -e Exclude any [Volumes](#) that are already in a Move Status.
- -f [Repository](#) to Move [Volumes](#) from.
- -l Apply a move-lock to [Volumes](#) during move.
- -t [Repository](#) to move [Volumes](#) to.

If an argument value starts with the value FI:, the value for that attribute will be read from the file name specified immediately after it. For example, if a file named ACME_volumes has the content ACME_*.*, specifying FI:/etc/ACME_volumes will have the same effect as -V ACME.*.*. Using FI: to refer to a file for an attribute value works for all attributes.

If the pattern being matched starts with *LIST: then rather than matching the literal value, each record in the file specified as *LIST:filename will be tested. If one matches the match will succeed.

2021/06/16 02:14 · Scott Cunliffe

[include page](#)

Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff.

If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

Environment

Files

stdout: Output Reports.

stderr: Diagnostic messages.

stdin: Program input.

Example

Command line syntax

Move all US02 LTO [Volumes](#) with a Barcode ending in 5L6.

```
TMSS10MoveLocation -S user:-password@server -V "US02.LT0.*5L6" -f "LIBR" -t "OFFS"
```

Output

```

                System: TapeTrack
Report Description: Volumes Moved
      Report Notes: From(LIBR) To(OFFS)
      Production Time: Monday, November 27, 2017 - 12:56:38 (AUS Eastern
Daylight Time)
      Report Width: 92 bytes

Seq.   Barcode           From           To
Container
-----
1 US02.LT0.000015L6     Library        Offsite Vault
2 US02.LT0.000035L6     Library        Offsite Vault
3 US02.LT0.000065L6     Library        Offsite Vault
4 US02.LT0.000075L6     Library        Offsite Vault
5 US02.LT0.000085L6     Library        Offsite Vault
6 US02.LT0.000095L6     Library        Offsite Vault

```

| | | | |
|----|-------------------|---------|---------------|
| 7 | US02.LT0.000105L6 | Library | Offsite Vault |
| 8 | US02.LT0.000115L6 | Library | Offsite Vault |
| 9 | US02.LT0.000125L6 | Library | Offsite Vault |
| 10 | US02.LT0.000135L6 | Library | Offsite Vault |
| 11 | US02.LT0.000145L6 | Library | Offsite Vault |
| 12 | US02.LT0.000155L6 | Library | Offsite Vault |
| 13 | US02.LT0.000165L6 | Library | Offsite Vault |
| 14 | US02.LT0.000175L6 | Library | Offsite Vault |
| 15 | US02.LT0.000185L6 | Library | Offsite Vault |
| 16 | US02.LT0.000195L6 | Library | Offsite Vault |
| 17 | US02.LT0.000205L6 | Library | Offsite Vault |
| 18 | US02.LT0.000215L6 | Library | Offsite Vault |
| 19 | US02.LT0.000225L6 | Library | Offsite Vault |
| 20 | US02.LT0.000235L6 | Library | Offsite Vault |
| 21 | US02.LT0.000245L6 | Library | Offsite Vault |
| 22 | US02.LT0.000255L6 | Library | Offsite Vault |
| 23 | US02.LT0.000265L6 | Library | Offsite Vault |
| 24 | US02.LT0.000275L6 | Library | Offsite Vault |
| 25 | US02.LT0.000285L6 | Library | Offsite Vault |
| 26 | US02.LT0.000295L6 | Library | Offsite Vault |
| 27 | US02.LT0.000305L6 | Library | Offsite Vault |
| 28 | US02.LT0.000315L6 | Library | Offsite Vault |

Changelog

Cannot load rss feed.

From: <https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link: <https://rtfm.tapetrack.com/cli/tmss10movelocation?rev=1623812222>

Last update: **2025/01/21 22:07**

