TMSS10MovePending

Puts Volumes with a **Move Pending Flag** into a Move Status to the Volume's Current Repository's Next Repository, as set in the `Options Tab` of the Repository Properties Window. If the Volume's current Repository has no Next Repository, the **Move Pending Flag** will be added, but no move will be initiated.

Synopsis

```
TMSS10MovePending [-S server] [-T test mode] [-V volume filter] [-c config file] [-o override file]
```

Options

- `-S` The Logon string argument sets the Server Logon Information
- `-T` Test mode, default = false..
- `-V` Volume Filter which can be used to filter the traversal of Customer, Media, Volume, Repository and Flag values.
- `-c` The config file argument specifies the path to the Batch Configuration File. The Batch Configuration File allows you to perform advanced traversal of Customer, Media and Volumes, perform advanced Barcode pre and post processing and route program output to syslogd.
- `-o` Overide file location.

Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff.

If you are experiencing problems or want some advice on how to configure or use the product please see the Accessing Technical Support page.

Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

Files

stdout: Output Reports.
stderr: Diagnostic messages.

Example

Command Line Syntax

<sxh> TMSS10MovePending -S user:-password@localhost -V “US01.LTO.*” </sxh>

Output

Changelog

Cannot load rss feed.
update doco

From:
https://rtfm.tapetrack.com/ - **TapeTrack Documentation**

Permanent link:
https://rtfm.tapetrack.com/cli/tmss10movepending?rev=1578533406

Last update: **2025/01/21 22:07**