TMSS10PasswordResetDB

Synopsis

```
TMSS10PasswordReset [-i ] [-h database directory] [-p new password] [-u user
for reset]
```

Description

Allows a user with administrative rights to reset a users password and restore user access when access has been revoked due to multiple consecutive failed login attempts.

Options

- -h Database home directory.
- -i interactive mode true.
- -p New password value.
- -u User to reset.

Notes

TMSS10PasswordResetDB can be invoked through the script **ResetPassword.bat** which will automatically run TMSS10PaswordResetDB in interactive mode and set the database home directory and working directory via the variables %TMSS10SCRIPTS% and %TMSS10DB% (set at install). This is the recommended method to invoke resetting passwords.

ResetPassword.bat can be found in the **TapeTrack** install directory under **TapeTrack\TapeTrack Framework Server\scripts**

Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff. If you are experiencing problems or want some advice on how to configure or use the product please see the Accessing Technical Support page.

Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

Environment

Example

From:
https://rtfm.tapetrack.com/ - **TapeTrack Documentation**

Permanent link:
https://rtfm.tapetrack.com/cli/tmss10passwordresetdb?rev=1506387792

Last update: **2025/01/21 22:07**