

TMSS10PasswordResetDB

Synopsis

```
TMSS10PasswordReset [-i ] [-h database directory] [-p new password] [-u user  
for reset]
```

Description

Allows a user with administrative rights to reset a users password and restore user access when access has been revoked due to multiple consecutive failed login attempts.

Options

- -h Database home directory (default location C:\Program Files\TapeTrack\TapeTrack Framework Server\var\db).
- -i interactive mode true.
- -p New password value.
- -u User to reset.


Notes

TMSS10PasswordResetDB can be invoked through the script `ResetPassword.bat` which will:

1. Call `TMSS10PaswordResetDB` in interactive mode,
2. Set the database home directory path and working directory via the variables `%TMSS10SCRIPTS%` and `%TMSS10DB%` (set when installing the Framework Server).



`ResetPassword.bat` can be found in the **TapeTrack** install directory under `TapeTrack\TapeTrack Framework Server\scripts`



Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff. If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

Environment

Example

Running `TMSS10PasswordReset.bat` to invoke `TMSS10PasswordResetDB`.

```
ZBT001N-11:05:41 TMSS10PasswordResetDB (c) GazillaByte 1998-2017
ZBT002N-11:05:41 Compiled Sep  3 2017 at 17:56:27
ZBT010I-11:05:41 this program will reset the password of a User
ZBT006N-11:05:41 Running Under Windows 10 (build 15063 10.00) on platform
x64
ZBT000N-11:05:41 Host is Little Endian
ZBT000N-11:05:41 Host is ASCII
ZBT000N-11:05:41 Binary is 64 bit
ZBT000N-11:05:41 Current Working Directory is C:\Program
Files\TapeTrack\TapeTrack Framework Server\scripts
ZBT004N-11:05:41 Today is Tuesday, September 26, 2017
ZBT005N-11:05:41 Running on Laptop_Senior
ZBT006N-11:05:41 Process ID 19500
ZBT000N-11:05:41 Parsing and validating command arguments
```

```

ZBT002N-11:05:41 Program Options:
ZBT002N-11:05:41      (h) Database Home Directory=C:\Program
Files\TapeTrack\TapeTrack Framework Server\var\db
ZBT002N-11:05:41      (i) Interactive=true
ZBT002N-11:05:41      (p) New Password=
ZBT002N-11:05:41      (u) User for reset=
ZBT000N-11:05:41 Arguments parsed and validated with 0 errors
Please enter a value for UserID (or EXIT): dcumming
Please enter a value for Password (or EXIT): newpassword
ZBT000N-11:05:41 Opening Database Environment
ZBT000N-11:05:41 Database Environment Open Status: BDB0062 Successful
return: 0
ZBT000N-11:05:41 Database (Password Database) File(TMSS10.password) Open
Status: BDB0062 Successful Return: 0
ZBT000N-11:05:41 -----User Data-----
-----
ZBT000N-11:05:41      Total Failed: 0
ZBT000N-11:05:41 Total Failed (Full): 0
ZBT000N-11:05:41      Last Failed IP:
ZBT000N-11:05:41      Last Failed Time:
ZBT000N-11:05:41 -----
-----

```

Changelog

Cannot load rss feed.

From: <https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link: <https://rtfm.tapetrack.com/cli/tmss10passwordresetdb?rev=1554253721>

Last update: **2025/01/21 22:07**

