

TMSS10SingleSpace

Convert a file of words into a file delimited by a single delimiter.

Synopsis

```
TMSS10SingleSpace [-d delimiter] [-g group]
```

Description

TMSS10SingleSpace will read in a file on `stdin` and ensure the number of spaces between each word is no more than one space and optionally replace the single space with an alternative delimiter then write the record to `stdout`.

Options

The options which apply to the TMSS10SingleSpace command are:

- `-d` a single character that is to be used as a delimiter. If this argument is not passed the delimiter will be a single space.
- `-g` a filter value that is to be matched against each element that may have embedded Strings so that the String is considered a single element.



When using the `group` argument the program will execute code that is highly recursive and this will slow the program down considerably. This is probably still preferable to writing a custom pre-processor, but where the input file is large and CPU consumption is expensive or time is sensitive a pre-processor may be a better option.

Exit Status

- **zero** Program has ended successfully.
- **non-zero** Program has not ended successfully.

Environment

This program does not use any environmental variables.

Files

- `stdout` Output Reports.
- `stderr` Diagnostic messages.
- `stdin` Program input.

Examples


Replace multiple spaces with a comma and group times.

```
TMSS10SingleSpace -d "," -g "??/?/?/???? ???:??"
```

Changelog

Cannot load rss feed.

From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**



Permanent link:
<https://rtfm.tapetrack.com/cli/tmss10singlespace?rev=1737497272>

Last update: **2025/01/21 22:07**