

# TMSS10ValidateBarcode

## Synopsis

```
TMSS10ValidateBarcode [-C Customer-ID] [-M Media-ID] [-S logon string]
```

## Description

TMSS10ValidateBarcode will parse a list of volume Barcodes, outputting the Barcode rule the Barcode will be parsed under if valid.

## Options

- -C Default Customer-ID.
- -M Default Media-ID
- -S The Logon string argument sets the [Server Logon Information](#)

If an argument value starts with the value FI:, the value for that attribute will be read from the file name specified immediately after it. For example, if a file named ACME\_volumes has the content ACME\_\*.\*, specifying FI:/etc/ACME\_volumes will have the same effect as -V ACME.\*.\*. Using FI: to refer to a file for an attribute value works for all attributes.

If the pattern being matched starts with \*LIST: then rather than matching the literal value, each record in the file specified as \*LIST:filename will be tested. If one matches the match will succeed.

2021/06/16 02:14 · Scott Cunliffe  
[include page](#)

## Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff. If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

## Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

## Environment

## Files

**stdout:** Output Reports.

**stderr:** Diagnostic messages.

**stdin:** Program input.

## Example

### Command line syntax

```
TMSS10ValidateBarcode -S user:-password@server -C "US02" -M "LT0"
```

Once you have run the above code, enter in the Barcodes to be parsed either manually, via cut and paste or Barcode scanner.

### Output

```
System: TapeTrack
Report Description: Barcode Parse Report
Production Time: Monday, November 27, 2017 - 11:18:23 (AUS Eastern
Daylight Time)
Report Width: 157 bytes

Seq. Barcode          C-ID M-ID V-ID      Rule Rule Description
Result
----- -----
----- 
111111L6
 2 111111L6          US02 LT0  111111L6      18 Generic *
Request OK
1234567890L6
 3 1234567890L6      US02 LT0  1234567890    18 Generic *
Request OK
```



Note the truncation of volume Barcodes over 10 characters.

## See Also

[Command Line Utility Troubleshooting and Diagnosis](#)

[Changelog](#)

Cannot load rss feed.

From:  
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**



Permanent link:  
<https://rtfm.tapetrack.com/cli/tmss10validatebarcode>

Last update: **2025/07/04 04:49**