

TMSS20NBUExchangeExtract

Extract EDB's from a NetBackup Image

Synopsis

```
TMSS20NBUExchangeExtract [-D output directory] [-F file filter] [-M mode] [-i input file]
```

Options

- -D Output Directory
- -F File Filter
- -M Mode: 1=Map, 2=Extract
- -i Input file

If an argument value starts with the value **FI:**, the value for that attribute will be read from the file name specified immediately after it. For example, if a file named ACME_volumes has the content **ACME_*.***, specifying **FI:/etc/ACME_volumes** will have the same effect as **-V ACME.*.***. Using **FI:** to refer to a file for an attribute value works for all attributes.

If the pattern being matched starts with ***LIST:** then rather than matching the literal value, each record in the file specified as ***LIST:filename** will be tested. If one matches the match will succeed.

2021/06/16 02:14 · Scott Cunliffe

[include page](#)

Technical Support

The TapeTrack Software is commercially supported by a full time help desk staff.

If you are experiencing problems or want some advice on how to configure or use the product please see the [Accessing Technical Support](#) page.

Exit Statuses

1. **zero** Program has ended successfully.
2. **non-zero** Program has not ended successfully.

[cli](#), [tmss20](#)

From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**



Permanent link:

<https://rtfm.tapetrack.com/cli/tmss20nbuexchangeextract?rev=1737497272>

Last update: **2025/01/21 22:07**