

VEEAM Sync Cookbook

```
# Connect to Veeam database
SetODBC("DSN=veeam2");
# Extract data
SetSQL("SELECT [barcode],[media_pool_id],[last_write_time] FROM
[VeeamBackup].[dbo].[Tape.tape_mediums]");

# Set Customer-ID
SetLiteral(CUSTOMER, "CUST");
# Set media to LTO as only one media type in report
SetLiteral(MEDIA, "LTO");

# Set place marker for Description
SetLiteral(DESCRIPTION, "????");
# Set place marker for Repository
SetLiteral(REPOSITORY, "????");

# Extract Volume-ID from column 1
Extract(VOLUME, 1, 10, 0);
# Extract media pool-id for translation from column 2
Extract(USER1, 2, 50, 0);
# Extract last writetime from column 3
Extract(WRITETIME, 3, 50, 0);

# Set writetime format
SetWriteTimeFormat("%Y-%m-%d %H:%M:%S");

# Add translations to set Description based off Media Pool-ID
AddTranslation2(DESCRIPTION, USER1, "4C6BFE92-5C7F-BFE9-A18E-B52A8049C167",
"Alpha media pool");
AddTranslation2(DESCRIPTION, USER1, "601ED8E9-647E-A19E-B18E-F6D66B0EE584",
"Bravo media pool");
AddTranslation2(DESCRIPTION, USER1, "375TED22-7654-B34R-67GH-TMX642021SEE",
"Charlie media pool");
AddTranslation2(DESCRIPTION, USER1, "

# Add translations to set Repository based off Media Pool-ID
# Move matching media pools offsite
AddTranslation2(DESCRIPTION, USER1, "4C6BFE92-5C7F-BFE9-A18E-B52A8049C167",
"OFFS");
AddTranslation2(DESCRIPTION, USER1, "601ED8E9-647E-A19E-B18E-F6D66B0EE584",
"OFFS");
AddTranslation2(DESCRIPTION, USER1, "375TED22-7654-B34R-67GH-TMX642021SEE",
```

```
"OFFS1");  
  
# Any other media pool place in library  
AddTranslation2(REPOSITORY, USER1, "*", "LIBR");  
  
# Stop any movement from racking back to offsite  
AddSkipOnRepositoryChange("OFFS", "RACK", "*");
```

[cookbook](#)

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

<https://rtfm.tapetrack.com/cookbook/veeam?rev=1613517209>

Last update: **2025/01/21 22:07**

