

Moving Volumes Back To Current Repository Before Confirming At Target repository

In this example we have a volume 000001L3 moving from the Current repository Library (LIBR) to Target repository Offsite (OFFS), with flags CMnNt (Confirmed, Moving, no slot, Description, Do not assign slot).

| ID | Current Location | Target Location | Flags | Move Time | Due in | Container | Next Move |
|----------|------------------|-----------------|--------|-------------|-------------|------------|-----------|
| 000001L3 | Library | Offsite Vault | CMnNt | S17 | Unspecified | Unassigned | Permanent |
| 000001L5 | Library | Offsite Vault | CMnNt | D4:21:58:19 | Unspecified | Unassigned | Permanent |
| 000002L5 | Library | Offsite Vault | CGMnNt | D4:21:58:19 | Unspecified | Unassigned | Permanent |
| 000003L5 | Library | Offsite Vault | CMnNt | D4:21:58:19 | Unspecified | Unassigned | Permanent |

Moving volume 000001L3 back to the repository Library (LIBR) without first confirming it at repository will evoke the **Failed Operations** window, displaying the error **Update OK but marked for followup**, volume ID, date and time.


| Error | Item | Time |
|------------------------------------|----------|---------------------|
| Update OK, but marked for followup | 000001L3 | 2018-04-24 09:29:41 |

From this window using the right click menu, volume ID's can be copied to windows clipboard or exported to file for further investigation at a later date.

| Error | Item | Time |
|------------------------------------|----------|---------------------|
| Update OK, but marked for followup | 000001L3 | 2018-04-24 10:48:50 |

Click OK to close the **Failed Operations** window to continue.


Volume 000001L3 will now have a W (Warning) flag and be highlighted in Orange.



| ID | Current Location | Target Location | Flags | Move Time | Due in | Container | Next Move |
|----------|------------------|-----------------|--------|-------------|-------------|------------|-----------|
| 000001L3 | Library | | CnNtW | | Unspecified | Unassigned | Permanent |
| 000001L5 | Library | Offsite Vault | CMnNt | D4:23:19:46 | Unspecified | Unassigned | Permanent |
| 000002L5 | Library | Offsite Vault | CGMnNt | D4:23:19:46 | Unspecified | Unassigned | Permanent |
| 000003L5 | Library | Offsite Vault | CMnNtZ | D4:23:19:46 | Unspecified | Unassigned | Permanent |

The W flag can be removed by either:

- Selecting the volume by clicking on it in the Inventory window and pressing F2.
- Selecting the volume by clicking on it in the Inventory window, right click and select Special Operations → Modify → Flags. From the **Modify Flags** window, expand the Warning menu item and from the drop down menu item Value select **Remove Flag** and click Apply Updates to close the window and remove the W flag.



* Place the volume into a move status to a repository other than the current repository.

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

https://rtfm.tapetrack.com/daytoday/moving_volumes_error_w?rev=1524531048

Last update: **2025/01/21 22:07**

