

Moving Volumes Back To Current Repository Before Confirming At Target repository

In this example we have a volume 000001L3 moving from the Current repository Library (LIBR) to Target repository Offsite (OFFS), with flags CMnNt (Confirmed, Moving, no slot, Description, Do not assign slot).

ID	Current Location	Target Location	Flags	Move Time	Due in	Container	Next Move
000001L3	Library	Offsite Vault	CMnNt	S17	Unspecified	Unassigned	Permanent
000001L5	Library	Offsite Vault	CMnNt	D4:21:58:19	Unspecified	Unassigned	Permanent
000002L5	Library	Offsite Vault	CGMnNt	D4:21:58:19	Unspecified	Unassigned	Permanent
000003L5	Library	Offsite Vault	CMnNt	D4:21:58:19	Unspecified	Unassigned	Permanent

Moving volume 000001L3 back to the repository Library (LIBR) without first confirming it at repository will evoke the **Failed Operations** window, displaying the error **Update OK but marked for followup**, volume ID, date and time.

Error	Item	Time
Update OK, but marked for followup	000001L3	2018-04-24 09:29:41


From this window using the right click menu, volume ID's can be copied to windows clipboard or exported to file for further investigation at a later date.

Error	Item	Time
Update OK, but marked for followup	000001L3	2018-04-24 10:48:50

- Export
- Edit
- Copy

Click OK to close the **Failed Operations** window to continue.


Volume 000001L3 will now have a W (Warning) flag and be highlighted in Orange.



ID	Current Location	Target Location	Flags	Move Time	Due in	Container	Next Move
000001L3	Library		CnNtW		Unspecified	Unassigned	Permanent
000001L5	Library	Offsite Vault	CMnNt	D4:23:19:46	Unspecified	Unassigned	Permanent
000002L5	Library	Offsite Vault	CGMnNt	D4:23:19:46	Unspecified	Unassigned	Permanent
000003L5	Library	Offsite Vault	CMnNtZ	D4:23:19:46	Unspecified	Unassigned	Permanent

The W flag can be removed by either:

- Selecting the volume by clicking on it in the Inventory window and pressing F2.
- Selecting the volume by clicking on it in the Inventory window, right click and select Special Operations → Modify → Flags. From the **Modify Flags** window, expand the Warning menu item and from the drop down menu item Value select **Remove Flag** and click Apply Updates to close the window and remove the W flag.



- Place the volume into a move status to a repository other than the current repository.

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

https://rtfm.tapetrack.com/daytoday/moving_volumes_error_w?rev=1524531066



Last update: **2025/01/21 22:07**