

Adding a Desktop Server Connection

When using the TapeTrack Desktop Software you will have to have one or more TapeTrack Framework Server entries defined so that you can connect to a server endpoint.

This can be done in the following ways:

1. Adding a connection interactively.
2. Adding a connection to the Configuration File.
3. Clicking on a URL.
4. Clicking a Windows Registry File.



When using TapeTrack TapeMaster that was installed as part of the TapeTrack Framework Server installation, an entry for localhost will be automatically added by the installer.

Adding a connection interactively

Logon

Connection to this TapeTrack Server is restricted to authorized users only. Please select your TapeTrack Server and enter your credentials. All access attempts and successful connections will be recorded.

Server: Local

Select a Server or click the button above to add a new Server.

User or Email:

Password:

☐ No MD5 (required for Active Directory authentication)

☒ Save User History

OK Cancel

TapeTrack Options

TapeTrack Servers

Advanced Connection Settings

Short Name	Address	IP	Port	Proxy	Response
Local	localhost	127.0.0.1	5000	No	OK (36.00 ms)

Add

Delete

Properties


Create Desktop Shortcut

OK

Cancel

Apply

Server Information



Server Name	My Server
Server Address	tapetrack.mycompany.com
Server Port	5000
Use HTTP Proxy	False
Use Single Sign-On	False

Server Address

TapeTrack Server name or IP address

Example 'tapetrack.mydomain.com' or '192.168.1.10'

OK

Cancel

TapeTrack Options

TapeTrack Servers Advanced Connection Settings

HTTP Proxy Settings

Address

Port

User ID

Password



From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:

https://rtfm.tapetrack.com/desktop/adding_connection?rev=1504539597

Last update: **2025/01/21 22:07**

