

# Adding a Desktop Server Connection

When using the TapeTrack Desktop Software you will have to have one or more TapeTrack Framework Server entries defined so that you can connect to a server endpoint.

To configure a server you will need the following information:

1. The server IP Address or DSN Name.
2. The server port (usually 5000).
3. If you are connecting via a HTTP Proxy:
  - Unordered List Item

This can be done in the following ways:

1. Adding a connection interactively.
2. Adding a connection to the Configuration File.
3. Clicking on a URL.
4. Clicking a Windows Registry File.



When using TapeTrack TapeMaster that was installed as part of the TapeTrack Framework Server installation, an entry for localhost will be automatically added by the installer.

## Adding a connection interactively

Logon

Connection to this TapeTrack Server is restricted to authorized users only.  
Please select your TapeTrack Server and enter your credentials.  
All access attempts and successful connections will be recorded.

Server: Local

Select a Server or click the button above to add a new Server.

User or Email: [Input Field]

Password: [Input Field]

No MD5 (required for Active Directory authentication)

Save User History

OK Cancel

TapeTrack Options


TapeTrack Servers | Advanced Connection Settings

| Short Name | Address   | IP        | Port | Proxy | Response      |
|------------|-----------|-----------|------|-------|---------------|
| Local      | localhost | 127.0.0.1 | 5000 | No    | OK (36.00 ms) |

- Add
- Delete
- Properties
- Create Desktop Shortcut

OK Cancel Apply

Server Information



|                    |                                |
|--------------------|--------------------------------|
| Server Name        | <b>My Server</b>               |
| Server Address     | <b>tapetrack.mycompany.com</b> |
| Server Port        | 5000                           |
| Use HTTP Proxy     | False                          |
| Use Single Sign-On | False                          |

**Server Address**  
TapeTrack Server name or IP address  
Example 'tapetrack.mydomain.com' or '192.168.1.10'

OK Cancel

TapeTrack Options

TapeTrack Servers | Advanced Connection Settings

HTTP Proxy Settings

Address: proxy.gazillabyte.local

Port: 3128

User ID: gnicol

Password: ●●●●●●

Automatically Detect HTTP Proxy

OK Cancel Apply



From: <https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link: [https://rtfm.tapetrack.com/desktop/adding\\_connection?rev=1504540161](https://rtfm.tapetrack.com/desktop/adding_connection?rev=1504540161)

Last update: **2025/01/21 22:07**

