

# Adding a Desktop Server Connection

## Overview

When using the TapeTrack Desktop Software you will have to have one or more TapeTrack Framework Server entries defined so that you can connect to a server endpoint.

This can also be achieved in the following ways:

1. [Adding a connection to the Configuration File.](#)
2. [Clicking on a URL.](#)
3. [Clicking a Windows Registry File.](#)



When using TapeTrack TapeMaster that was installed as part of the TapeTrack Framework Server installation, an entry for localhost will be automatically added by the installer.

## Prerequisites

To configure a server you will need the following information:

1. The server IP address or DSN name.
2. The server port (usually 5000).
3. If you are connecting via a HTTP Proxy:
  - The proxy IP address or DNS Name.
  - The proxy port
  - The proxy user name (if authentication is required)
  - The proxy password (if authentication is required)

## Adding a connection interactively

### Logon

Connection to this TapeTrack Server is restricted to authorized users only. Please select your TapeTrack Server and enter your credentials. All access attempts and successful connections will be recorded.

Server: Local [Add]

Select a Server or click the button above to add a new Server.

User or Email: [ ]

Password: [ ]

No MD5 (required for Active Directory authentication)

Save User History

OK Cancel

### TapeTrack Options

TapeTrack Servers | Advanced Connection Settings


| Short Name | Address   | IP        | Port | Proxy | Response      |
|------------|-----------|-----------|------|-------|---------------|
| Local      | localhost | 127.0.0.1 | 5000 | No    | OK (36.00 ms) |

Context menu for Local:

- Add
- Delete
- Properties
- Create Desktop Shortcut

OK Cancel Apply

Server Information



|                    |                                |
|--------------------|--------------------------------|
| Server Name        | <b>My Server</b>               |
| Server Address     | <b>tapetrack.mycompany.com</b> |
| Server Port        | 5000                           |
| Use HTTP Proxy     | False                          |
| Use Single Sign-On | False                          |

**Server Address**  
TapeTrack Server name or IP address  
Example 'tapetrack.mydomain.com' or '192.168.1.10'

OK Cancel

TapeTrack Options

TapeTrack Servers | Advanced Connection Settings

HTTP Proxy Settings

Address: proxy.gazillabyte.local

Port: 3128

User ID: gnicol

Password: ●●●●●●

Automatically Detect HTTP Proxy

OK Cancel Apply



From:  
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:  
[https://rtfm.tapetrack.com/desktop/adding\\_connection?rev=1504548125](https://rtfm.tapetrack.com/desktop/adding_connection?rev=1504548125)

Last update: **2025/01/21 22:07**



