


# Using Lite To Move Volumes

While placing Volumes into a move is usually performed by using TapeMaster or a synchronization method, they can be moved using Lite when required.

Example Volume before move, current location in the Library Repository.



The screenshot shows the TapeTrack TapeMaster application window. The left sidebar shows a tree structure with 'GazillaByte - Pro' and 'US01 - US Data Center'. The main area has tabs for 'Inventory', 'DR Strategies', 'Data Clusters', 'Simple Management', 'Uploaded Files', and 'LTO Cartridge' (which is selected). A 'Customer Filter' dropdown is open. Below the tabs is a 'Volumes' table with columns: ID, Current Location, Target Location, Flags, and Description. One row is visible: 'LTO123L4' with 'Library' in the Current Location column. Below the table, it says 'Total Items 1'. At the bottom, there are icons for 'Library', 'Offsite Vault', and 'Scratch Pool'. A status bar at the bottom right says 'Connection 127.0.0.1 uses AES 256 bit'.

## Sending Volumes

Sending a Volume is the process of placing a Volume into a move status from the Repository you are currently at to that Repository's next Repository. The Next Repository is set in the Repository Options in TapeMaster.



For this example we will be placing a Volume in the Library into a move to the next Repository, the Vault.

Using Lites' [Send function](#), scan the required Volumes to place them into a move to the vault.



From:  
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:  
[https://rtfm.tapetrack.com/desktop/desktop\\_purpose/lite\\_move?rev=1720574157](https://rtfm.tapetrack.com/desktop/desktop_purpose/lite_move?rev=1720574157)

Last update: **2025/01/21 22:07**

