
2025/12/01 10:15 1/4 Using Lite To Move Volumes

Using Lite To Move Volumes

While placing Volumes into a move is usually performed by using TapeMaster or a syncronization method, they can be moved using Lite when required.

Example Volume before move, current location in the Library Repository.




Sending Volumes

Sending a Volume is the process of placing a Volume into a move status from the Repository you are currently at to that Repository's next Repository. The Next Repository is set in the Repository Options in TapeMaster.




For this example we will assume you are located at the Library in the data center. We will be placing a Volume in the Library into a move to the next Repository, the Vault. Essentially pushing the Volume into a move from where you are, to the Next repository, the vault.

Using Lites' Send function, scan the required Volumes to place them into a move to the vault.



The Volumes that were scanned in the Send process will now be in a move to the Next Repository, in this example the vault.



Volumes, using Lite Scan Out can now be scanned out.

Recalling Volumes


While placing Volumes into a move is usually performed by using TapeMaster or a syncronization

https://rtfm.tapetrack.com/ Printed on 2025/12/01 10:15

2025/12/01 10:15 3/4 Using Lite To Move Volumes

method, they can be moved using Lite when required.


Example Volume before move, current location in the Vault Repository.



Recalling a Volume is the process of placing a Volume into a move status from another Repository to the Repository you are currently at.



For this example we will assume you are located at the Scratch Rack in the data center. We will be placing a Volume into a move from its' current location, the vault, to your location, the Scratch Rack. Essentially pulling the Volume from where it is to where you are.



https://rtfm.tapetrack.com/ Printed on 2025/12/01 10:15