2025/10/17 23:54 1/2 AddString

## **AddString**

Add a special string such as an exclusion or header string.

## **Phase**

This instruction is used by the TapeTrack Import Engine.

## **Syntax**

AddString(type, offset, filter);

string type; integer offset; string filter;

- \* type The special string type of one of the following:
  - 1. **HEADER** A string that represents the first record of a heading section.
  - EXCLUSION A string that represents the a record that should be excluded from all further processing (skipped).
  - 3. **START** A string that represents when processing should start. If there is no start string specified processing will start at the first record.
  - 4. **END** A string that represents when processing should temporarily stop. Processing will recommence at the next START record.
  - 5. **TERMINATE** A string that represents when processing should permanently stop. No processing will be done past this point, even if a START record is encountered.
- \* offset The zero based offset within the record at which the filter should be applied.
- \* filter A filter value for comparison with the processed string.

## **Examples**

Example A.22. AddString: Define a header (ANSI page break) with 7 records, skip records not starting with an integer and terminate processing at the first blank record AddString(HEADER, 0, "1\*"); SetHeaderCount(7); AddString(EXCLUSION, 0, "!([0-9]\*"); AddString(TERMINATE, 0, " \*");

From

https://rtfm.tapetrack.com/ - TapeTrack Documentation

Permanent link:

https://rtfm.tapetrack.com/engine/import/addstring?rev=1534264426

Last update: 2025/01/21 22:07



https://rtfm.tapetrack.com/ Printed on 2025/10/17 23:54