

Overview

The TapeTrack Slack App allows you to query tape libraries and move tapes from one location to another by all from within [slack](#).



Prerequisites

1. A Slack Account
2. Open Data Protection API (ODPAPI) Adapter for TapeTrack or URL of an existing Adapter.
3. [TapeTrack credentials](#).

Connecting the App

To install the App simply click the App icon on the slack app directory.

App Commands

Adapters

Before you can use the TapeTrack slack App you must first add at least one ODPAPI Adapter.

Adding an Adapter

Syntax

```
/tapetrack adapter add name adapter_url
```

Example

```
/tapetrack adapter add TestBed  
testuser:testuser@testbed.tapetrack.com/dpapi-v1
```

Listing Adapters

Syntax

```
/tapetrack adapter list
```



TapeTrack APP 4:00 PM Only visible to you
Configured TapeTrack Servers:

| Server Name | User Name | URL |
|-------------|-----------|---------------------------------------|
| TestBed | testuser | http://testbed.tapetrack.com/dpapi-v1 |

Deleting an Adapter

Syntax

```
/tapetrack adapter delete name
```

Example

```
/tapetrack adapter delete TestBed
```

Libraries

Listing Libraries

When listing libraries you can either query one of the adapters by name, or use a wildcard to match the closest adapter.

Syntax

```
/tapetrack name library list
```

Example

```
/tapetrack * library list
```



TapeTrack APP 4:16 PM Only visible to you
There are 4 libraries.

| ID | Description |
|--------------------------------------|--|
| 41553031-0000-0000-4c54-4f00484f4c44 | Sydney Data Center:LTO Cartridge:Legal Hold |
| 41553031-0000-0000-4c54-4f004c494252 | Sydney Data Center:LTO Cartridge:Library |
| 41553031-0000-0000-4c54-4f004f464653 | Sydney Data Center:LTO Cartridge:Offsite Vault |
| 41553031-0000-0000-4c54-4f005241434b | Sydney Data Center:LTO Cartridge:GemTrac Rack |

In the returned list of accessible libraries you will get a library UUID along with the library description. The library UUID will be used to access that library and the tapes within it going forward.

Libraries Information

Syntax

```
/tapetrack name library info library_uuid
```

Example

```
/tapetrack name library info 41553031-0000-0000-4c54-4f004f464653
```

From: <https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link: <https://rtfm.tapetrack.com/extensions/slack?rev=1496096299>

Last update: **2025/01/21 22:07**

