
# Overview

The TapeTrack Slack App allows you to query tape libraries and move tapes from one location to another by all from within slack.




# Prerequisites

1. A Slack Account
2. Open Data Protection API (ODPAPI) Adapter for TapeTrack or URL of an existing Adapter.
3. TapeTrack credentials.

# Connecting the App

To install the App simply click the App icon on the slack app directory or by clicking the icon below.

<html> <a href="https://slack.com/oauth/authorize?scope=commands&client_id=164668305509.189569582598"><img alt="Add to Slack" height="40" width="139" src="https://platform.slack-edge.com/img/add_to_slack.png" srcset="https://platform.slack-edge.com/img/add_to_slack.png 1x, https://platform.slack-edge.com/img/add_to_slack@2x.png 2x" /></a> </html>

As all settings are set via /tapetrack commands, there is no need to interact outside of slack during installation.

# App Commands

# Adapters

Before you can use the TapeTrack slack App you must first add at least one ODPAPI Adapter.

## Adding an Adapter

### Syntax

```
/tapetrack adapter add name adapter_url
```

### Example

```
/tapetrack adapter add TestBed
testuser:testuser@testbed.tapetrack.com/dpapi-v1
```

## Listing Adapters

### Syntax

```
/tapetrack adapter list
```




## Deleting an Adapter

### Syntax

```
/tapetrack adapter delete name
```

### Example

```
/tapetrack adapter delete TestBed
```

# Libraries

## Listing Libraries


When listing libraries you can either query one of the adapters by name, or use a wildcard to match the closest adapter.

### Syntax

```
/tapetrack name library list
```

### Example

```
/tapetrack * library list
```




In the returned list of accessible libraries you will get a library UUID along with the library description. The library UUID will be used to access that library and the tapes within it going forward.


## Library Information

### Syntax

```
/tapetrack name library info library_uuid
```

### Example

```
/tapetrack name library info 41553031-0000-0000-4c54-4f004f464653
```




At the bottom of the library info command button is a Show button. You can click this to list the tapes that belong to that library.

# Tapes


## Listing Tapes

### Syntax

```
/tapetrack name object list library_uuid
```

### Example

```
/tapetrack * object list 41553031-0000-0000-4c54-4f004f464653
```





## Tape Information

### Syntax

```
/tapetrack name object info library_uuid tape_id
```

### Example

```
/tapetrack * object info 41553031-0000-0000-4c54-4f004f464653 000002L4
```




# Finding a tape


To find a tape you can use the whereis command. This will tell you which libraries a given tape can be found in.

#### Syntax

```
/tapetrack name whereis tape_id
```


#### Example

```
/tapetrack * whereis 000001L4
```



# Help

To obtain help text run the help command.




From:
https://rtfm.tapetrack.com/ - **TapeTrack Documentation**

Permanent link:
**https://rtfm.tapetrack.com/extensions/slack?rev=1496100317**

Last update: **2025/01/21 22:07**