

Adding New Volumes

Adding new [Volumes](#) to Tapetrack can be accomplished using one of two methods.


Adding New Volumes Using Volume Management

Adding New Volumes Using Send

Using Send to add new [Volumes](#) is only recommended when the new [Volumes](#) are part of a consignment being sent already. If just adding new [Volumes](#) to the inventory using Volume Management is the correct process to use.

Send

Select Send from the **Task Menu** and click Next to continue.



Options

TapeTrack Lite™ - Options

Instructions

The Options screen allows you to specify options that will influence how future screens perform.

The options you change will be retained for future sessions.

General Options

| | |
|-----------------|---|
| Log File Folder | C:\Program Files\TapeTrack\TapeTrack Lite\docs\Lite Log Files |
|-----------------|---|

Advanced Options

| | |
|------------------|-----------------------------------|
| Time Threshold | 3 days, 00 hs, 00 ms |
| Next move | Tuesday, May 24, 2022 (1131 days) |
| Predefined Lists | <Not Selected> |

< Back Next > Cancel

Notes:

- **A** If required you can set the location for the log files to be written to, or leave the default. To change the default directory, click in the field to the right of the Log File Folder, click on the more options button (...) and select the preferred directory.
- **B** Under Advanced Options:
 - Set the time deadline before a **Volume** will be marked as overdue at its Target Repository.
 - The date for the **Volumes** next move.
 - List of pre-defined **Volumes**.
 To add additional lists, create new files in the install directory that match the pattern List-*.txt.

List-Sample.txt - Notepad

File Edit Format View Help

```
#Sample send list. To skip delete file List-Sample.txt
US01.LTO.000000
US01.DL.000001
```

Scanning to add Volumes

This opens the **Scan and Modify** window which, by default, opens the **Scan To Add Volumes** window.


Scan out the required [Volumes](#) using your preferred [scanning method](#).

When all [Volumes](#) are scanned in, close the **Scan To Add Volumes** window by clicking X at top right of window.


Setting New Volume ID's

Select new [Volume](#) by clicking on it to display the attributes in the right of the window

Select, in order, the correct Customer ID, Media ID from the identity section.



From the **Disposition** section, set the Target Repository, Next Move and Data Cluster (optional) to the required values.



Repeat for each new [Volume](#).

Click **Next** to continue.

Adding Extended Attributes

If you have extended attributes set for the Media type the new Volumes were added to, the **Modify Extended Attributes** window will be presented.


Clicking in the field to the right of each extended attribute, you can type in the relevant values. Click **Next** to continue.

Complete

This will bring up the **Complete** window, from here you can:

- Click **View Log File** to view the log.
- Click **Print Log File** to print out the log file for further reference.
- Click **About this Software** to view product and support (email, phone & website) information.
- Click **Back** to return to start menu and select another task.

- Click Finish, Cancel or X to exit TapeTrack Lite.



From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
https://rtfm.tapetrack.com/lite/add_volumes?rev=1550451680

Last update: **2025/01/21 22:07**

