


Library Reconciliation

Library Reconciliation allows you to physically check the [Repository's](#) actual contents and compare it to a current list of what [Volumes](#) are listed as in that [Repository](#) and create an [Audit Certificate](#) including [Volumes](#) present, deficient (absent) and surplus (extra).

Reconciliation Process

Select Library Reconciliation

Select Library Reconciliation from the **Task Menu** and click Next to continue.




Set Options

This will open the **Options** window. If required you can set the location for the log files to be written to, or leave the default.

To change the default directory, click in the field to the right of the Log File Folder and click on the (...)

button and select directory.

Click Next to continue.



Select a Customer

Select the account or Customer that you want to manage **Volumes** for by double-clicking the **Customer-ID** or left-clicking the **Customer-ID** and clicking Next to continue.

 TapeTrack Lite™ - Customer Selection X

Instructions

The Customer Selection screen allows you to select one TapeTrack Customer that will be the subject of operations in subsequent screens.

You may select a Customer by double clicking the Customer, or by clicking the Customer and pressing the Next button.

Customer	Volumes	Moves
New York Data Center	56	0
Los Angeles Data Center	23	7
North Carolina Data Center	56	23
Nashville Data Center	52	9
	187	39

Remember previously selected Customer

< Back Next > Cancel

Select a Media Type

Select the **Media** type that you want to Reconcile by double-clicking the **Media-ID** or left-clicking the **Media-ID** and clicking **Next** to continue.

TapeTrack Lite™ - Media Type Selection

Instructions

The Media Type Selection screen allows you to select a single TapeTrack Media Type to work with in subsequent screens.


You can select this Media Type by double clicking the required item in the list.

Media Type	Volumes	Moves	Scratch Deficit	Overdue
Media Containers	22	0	0	0
LTO Cartridge	34	7	0	12
	56	7	0	12


< Back **Next >** Cancel

Select a Repository

From the **Reconciliation Location** window select which [Repository](#) to perform the Reconciliation on by double-clicking on the [Repository-ID](#) or by left-clicking on the [Repository](#) and clicking [Next](#) to proceed.



If you have performed Reconciliations before on the selected [Repository](#) you will be given the option of continuing the previous Reconciliation (select Yes) or starting a new one (select No).



The **Reconciliation Location** window will also display [Certificates](#) from previous Reconciliation results. To view these [Certificates](#) double click on the Time Stamp of a chosen [Certificate](#).

[Certificates](#) contain information pertaining to scope, results and update statistics.

On the **Certificate Item List** individual [Volume-ID's](#) are displayed with a color coded image to quickly identify correct (green), surplus (yellow) and deficit (red) [Volumes](#).

Volume Statistics

The **Reconciliation Scan** window displays current [Customer](#), [Media](#) and [Repository](#).

The main window displays a list of all [Volumes](#) presumed to be in the [Repository](#).

The right of the window displays [Volume](#) statistics including total, scanned, unscanned, undefined (not on list).

Scan in the [Volumes](#) into the **Reconciliation Scan-In** window using a your preferred [scanning](#) method to record present [Volumes](#).

As [Volumes](#) are scanned:

- Correct [Volumes](#) will be recorded and marked off the list by a line crossing off the [Volume-ID](#) and status changed from [\[Unscanned\]](#) to [\[Scanned\]](#).
- [Volumes](#) not on the list will be recorded, added to the list with a status of [\[New\]\[Scanned\]](#) if the [Volume-ID](#) is unrecognized.
- [Volumes](#) scanned as a duplicate [Volume-ID](#) will increment the Scan Count of the previously scanned [Volume](#) with that Barcode and be labelled as [\[Duplicate\]\[Scanned\]](#).

[Volumes](#) not scanned will be recorded with a status of [\[Unscanned\]](#).


Any [Volumes](#) currently in a move between [Repositories](#) will also be labelled with [\[Moving-In\]](#) or [\[Moving-out\]](#).

Volume-ID	Scan Count	Status
000000L6	1	[Scanned]
000001L6	2	[Duplicate][Scanned]
000002L6	1	[Scanned]
000003L6	1	[Moving-In][Scanned]
000004L6	0	[Unscanned][Moving-In]
000005L6	0	[Unscanned][Moving-In]
000006L6	0	[Unscanned][Moving-In]
000007L6	0	[Unscanned][Moving-In]
000008L6	0	[Unscanned][Moving-In]
000009L6	0	[Unscanned][Moving-In]
000010L6	0	[Unscanned][Moving-In]
000011L6	0	[Unscanned][Moving-In]
000012L6	0	[Unscanned]
000013L6	0	[Unscanned]
000014L6	0	[Unscanned]
000015L6	0	[Unscanned]
110011L6	1	[New][Scanned]

Statistics	
Total	210
Scanned	5
Unscanned	205
Undefined	1
Moving-In	17
Duplicates	1
Bad scope	0
Not in list	1

When all present [Volumes](#) have been scanned close the **Scan-in** window by clicking [Next](#) or [X](#). If any

[Volumes](#) have a status of Unscanned you will be prompted whether or not to [Flag](#) the [Volumes](#) as having failed the [Repository](#) audit. Selecting Yes will update the [Flags](#) for those [Volumes](#) in the database and add an 'a' [Flag](#) in TapeTrack TapeMaster.



Updated [Flags](#) will not be added to any [Volume/s](#) with a current update lock applied to them and error window will be displayed as a result. The error window will display information on how many [Volumes](#) were updated and which [Volumes](#) are [Flagged](#) with error status with an error explanation.

Clicking [Create Certificate](#) will produce a [Certificate](#) documenting the status of the reconciled [Repository](#) for future reference including information on present (OK), absent (Deficit) and excess (Surplus) [Volumes](#).

Creating Certificates


In the [Create Certificate](#) window add a Description relevant to the Reconciliation (eg July 2018 Library Reconciliation) and click [Create Certificate](#).



To create [Certificates](#) you must have [Certify Rights](#) assigned to your [User-ID](#)


Creation status will then be displayed.

To view [Certificate](#) click [Certificate Properties](#).




The **Certificate Properties** window displays:

- Customer
- Media type
- Repository
- Certificate Description
- Digital signature
- Certificate status
- Total items scanned
- Deficit items
- Surplus items



The Certificate Item List tab displays:

- Volume-ID of scanned Volumes
- Status of scanned Volumes, status options are:
 - Green tick and OK : Volumes should be present and are present
 - Red cross and Deficit : Volumes should be present but are not present.
 - Yellow exclamation and Surplus : Volumes should not be present but are present.




Volumes can be filtered on the **Volume-ID** and/or **Status**. To filter insert search criteria under **Volume** or **Status** where **Enter Text here** is displayed. Filter off either whole search term or use * as a wildcard (e.g. to search for Surplus, type Surplus or S*). Search terms are case sensitive. Click **OK** to close and return to **Create Certificate** window.

Click **OK** to continue.

Complete

This will bring up the **Complete** window, from here you can:

- Click **View Log File** to view the log file of the last completed process..
- Click **Print Log File** to save a PDF of the log file to print from your PDF viewer.
- Click **About this Software** to view product and support (email, phone & website) information.
- Click **Back** button to return to start menu and select another task.
- Click **Finish** button or X at the top right of the window to exit TapeTrack Lite.



2019/04/17 03:00 · Scott Cunliffe

From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
https://rtfm.tapetrack.com/lite/function_reconciliation

Last update: **2025/01/21 22:07**

