


Built In Repositories

TapeMaster has 3 built in repositories, which are hidden by default.

To display the hidden repositories, navigate to the Options Tab in the Media Type Properties Window and set Show Built In Repositories to **true**. The repositories **Initial**, **Next** and **Home** will be displayed in the repository window.



Built-In Repositories often do not exist as locations, but they use settings in the Options Tab of the Volume Properties Window to dictate movements.

Built In Repository Functions

Initial Repository

If no repository is set in the Default Repository field in the Media Type Properties Window's Options Tab, newly added Volumes will be allocated to the Initial Repository.

Edit Media: LTO Cartridge


Identity	Volume-ID Building	Options
Hide Media Type	False	
Internal	True	
Maximum Volumes	0	
Maximum Repositories	0	
Allowable Volume-IDs		
Default Media Type	False	
Auto Simple Management	False	
Auto Container	False	
Stock Controlled	False	
Auto Stock Selection	False	
Relaxed Barcode Matching	False	
No Move-back Warning	False	
Lock Volumes	False	
No HealthCheck	False	
Show BuiltIn Repositories	True	
Remove barcode suffix		
Barcodes use Modulo43	False	
Default Repository	<No Selection>	

Inventory DR Strategies Data Clusters Simple Management Uploaded Files Consignments

Volumes

ID	Current Location	Target Location	Flags	Move Time	Due in	Container	Next Mov
Enter text h...	Enter text here	Enter text ...	Enter ...	Enter t...	Enter t...	Enter t...	Enter ...
000001L5	Initial Repository		CnN	Unspecified	Unassigned	Permanent	
000002L5	Initial Repository		CnN	Unspecified	Unassigned	Permanent	
000003L5	Initial Repository		CnN	Unspecified	Unassigned	Permanent	
000004L5	Initial Repository		CnN	Unspecified	Unassigned	Permanent	
000005L5	Initial Repository		CnN	Unspecified	Unassigned	Permanent	
000006L5	Initial Repository		CnN	Unspecified	Unassigned	Permanent	
000007L5	Initial Repository		CnN	Unspecified	Unassigned	Permanent	
000008L5	Initial Repository		CnN	Unspecified	Unassigned	Permanent	
000009L5	Initial Repository		CnN	Unspecified	Unassigned	Permanent	
000010L5	Initial Repository		CnN	Unspecified	Unassigned	Permanent	
000011L5	Initial Repository		Cn	Unspecified	Unassigned	Permanent	
000012L5	Initial Repository		Cn	Unspecified	Unassigned	Permanent	


Any other repository may be set as the default location for new volumes by right clicking the required repository and selecting Make Default Repository



Home Repository

Drag and dropping Volumes to the Home Repository will move them to the repository set as the Home Repository in the Volume Properties Window Options tab.

Home Repositories can be set in the Options Tab of the Volume Properties Window



or by right-clicking Volumes in the Volume List, then selecting Special Operations, Modify, and Home Repository.

Next Repository

Dragging Volumes to the Next Repository will move them to the repository set as the Next Repository in the Options Tab of the Repository Properties Window of the Volume's current location.

From:

<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**



Permanent link:

https://rtfm.tapetrack.com/master/built_in_repositories?rev=1516338874

Last update: **2025/01/21 22:07**