


Built In Repositories

TapeMaster has 3 built in repositories, which are hidden by default.

To display the hidden repositories, navigate to the Options Tab in the Media Type Properties Window and set Show Built In Repositories to **true**. The repositories **Initial**, **Next** and **Home** will be displayed in the repository window.



Built-In Repositories often do not exist as locations, but they use settings in the Options Tab of the Volume Properties Window to dictate movements.

Built In Repository Functions

Initial Repository

If no repository is set in the Default Repository field in the Media Type Properties Window's Options Tab, newly added Volumes will be allocated to the Initial Repository.

Edit Media: LTO Cartridge

Identity Volume-ID Building Options


Hide Media Type	False
Internal	True
Maximum Volumes	0
Maximum Repositories	0
Allowable Volume-IDs	
Default Media Type	False
Auto Simple Management	False
Auto Container	False
Stock Controlled	False
Auto Stock Selection	False
Relaxed Barcode Matching	False
No Move-back Warning	False
Lock Volumes	False
No HealthCheck	False
Show BuiltIn Repositories	True
Remove barcode suffix	
Barcodes use Modulo43	False
Default Repository	<No Selection>

Inventory DR Strategies Data Clusters Simple Management Uploaded Files Consignments

Volumes

ID	Current Location	Target Location	Flags	Move Time	Due in	Container	Next Mov
Enter text h...	Enter text here	Enter text ...	Enter ...	Enter t...	Enter t...	Enter t...	Enter ...
000001L5	Initial Repository		CnN	Unspecified	Unassigned	Permanent	
000002L5	Initial Repository		CnN	Unspecified	Unassigned	Permanent	
000003L5	Initial Repository		CnN	Unspecified	Unassigned	Permanent	
000004L5	Initial Repository		CnN	Unspecified	Unassigned	Permanent	
000005L5	Initial Repository		CnN	Unspecified	Unassigned	Permanent	
000006L5	Initial Repository		CnN	Unspecified	Unassigned	Permanent	
000007L5	Initial Repository		CnN	Unspecified	Unassigned	Permanent	
000008L5	Initial Repository		CnN	Unspecified	Unassigned	Permanent	
000009L5	Initial Repository		CnN	Unspecified	Unassigned	Permanent	
000010L5	Initial Repository		CnN	Unspecified	Unassigned	Permanent	
000011L5	Initial Repository		Cn	Unspecified	Unassigned	Permanent	
000012L5	Initial Repository		Cn	Unspecified	Unassigned	Permanent	

Any other repository may be set as the default location for new volumes by right clicking the required repository and selecting Make Default Repository




Home Repository

Dragging and dropping [volumes](#) to the Home Repository places them into a move status to the [repository](#) set as the Home Repository in the [Volume](#) Properties Window Options tab.

An example for using this function would be [volumes](#) returning from offsite storage back on-site and needing to be stored in different racks ([repositories](#)). Having the required rack set for each [volume](#) allows you to drag and drop all the [volumes](#) on the home repository and letting TapeTrack sort which [repository](#) each of the [volumes](#) belong in, saving you having to separate each group of [volumes](#) for each [repository](#) manually.

A [volume's](#) **Home Repository** can be set in the Volume Properties Window Options Tab.



or by right-clicking [Volumes](#) in the Volume List, then selecting [Special Operations](#), [Modify](#), and [Home](#)

Repository. Selecting a range of **volumes** allows you to assign multiple **volumes** home repository in the one operation.

The screenshot shows the 'Volumes' list in the TapeTrack software. A context menu is open over a selected volume, with the 'Home Repository' option highlighted. The menu also includes options like 'Assign to new/no container', 'Data Cluster', 'Generation', and 'Flags'.

ID	Current Location	Target Location	Flags	Move Time	Due in	Container	Next Move	Des
Enter text here	Enter text here	Enter text here	Enter ...	Enter t...	Enter t...	Enter t...	Enter text here	Enter
000021L5	Library		CnN	Unspecified	Unassigned	Permanent		Data
000022L5	Library		[1.1] ChIMN	Unspecified	Unassigned	Permanent		Data
000023L5	Library		[1.2] CGIMN	Unspecified	Unassigned	Permanent		Data
			[1.3] CEIMN	Unspecified	Unassigned	Permanent		Data
			[1.4] ChIMN	Unspecified	Unassigned	Permanent		Data
			[1.5] CEGIMN	Unspecified	Unassigned	Permanent		Data
			[1.6] CEGIMN	Unspecified	Unassigned	Permanent		Data
			[1.7] CGhIMNF	Unspecified	Unassigned	Permanent		Data
			[1.8] CGTMN	Unspecified	Unassigned	Permanent		Data

Select repository from popup window drop-down box.

The screenshot shows the 'Repository Selection' dialog box. The 'LIBR' repository is selected in the dropdown list.

Next Repository

Drag and dropping **volumes** to the next Repository places them into a move status to the **repository** set as the Next Repository in the **Volume Properties Window Options** tab.

From:

<https://rtfm.tapetrack.com/> - TapeTrack Documentation

Permanent link:

https://rtfm.tapetrack.com/master/built_in_repositories?rev=1519659292

Last update: 2025/01/21 22:07

