



Container Assignment Utility

The Container Assignment Utility allows volumes to be assigned to a barcoded container through the use of your preferred [scanning method](#).

To open the Container Assignment Utility select, from the main menu, Tools → Container Assignment Utility.



This will open the Container Assignment Utility window, which by default, will open the scan input window.





If scanning unqualified barcodes (ie CONT001 not US01.CONT.CONT001) you will need to make sure the customer ID and media ID are correct in the defaults of the scan window for both the containers and volumes.


Using your preferred [scanning method](#) scan the container you wish to assign the volumes to and then the volumes. Any volumes scanned before a container are in error of the procedure and will be disregarded.

Barcode	Customer	Media Type	Volume-ID	Message
000002L6			000002L6	Request OK
000001L6			000001L6	Request OK
000000L6			000000L6	Request OK
US01.CONT.CONT001			CONT001	Request OK

When you have scanned all volumes assigned to the current container, close the scan in window by clicking the X at the top right.

Click **Apply** to execute container assignment and yes to confirmation.

Alternatively click **Cancel** and yes to confirmation to cancel the volume assignment to that container.



Volumes will then move from the **New Contents** column to the **Existing Contents** column.

Container	US01.CONT.CONT001
Totals	
Existing	3
New	0
Total	3

Volume	Count	Exists
US01.LTO.000002L6		
US01.LTO.000001L6		
US01.LTO.000000L6		

There are no items to display in this list.

Buttons: Scan, Apply, Cancel

To assign volumes to another container click Scan and follow the above procedure.

When finished click the X at the top right corner to exit the Container Assignment Utility.

From:
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:
https://rtfm.tapetrack.com/master/container_assignment?rev=1519173335

Last update: **2025/01/21 22:07**

