
## **Adding and Deleting Media Types**


This page details how to Add or Delete Media Types.

## Adding a new Media Type


Right-click a Customer and select Add Media Type This will launch the Edit New Media Window.




This will launch a Edit New Media window. The first tab on the Edit New Media window is the Identity tab. The Identity tab requires the input of a Media ID and a Media Type Description. You can add up to four characters as the Media-ID and up to twenty characters for the Media Type Description.



The Options Tab provides options for the new Media Type. Set the option values required.






- **Hide Media Type** when set to true removes the media type from view in the customer tree.
- Internal media type has an internal purpose and should not be displayed to all applications.
- **Maximum Volumes** allowed. 0 = unlimited.
- Maximum Repositories allowed. 0 = unlimited.
- **Allowable Volume-ID's** if set, restricts the allowable volume ID formats for this customer.
- Default Media Type This media type is the default when none can be determined.
- Auto Simple Management adds new media with the simple management option.
- Auto Container automatically adds new volumes as containers.
- Stock Controlled requires all new volumes to have a stock control type.
- Auto Stock Selection selects a stock type for new volumes automatically.
- **Relaxed Barcode Matching** attempts to match a scanned barcode with L|T|J suffix when not found.
- **No Move-back Warning** stops a warning flag (W) being added to a volume if it moves back to its current repository.
- Lock Volumes
- No HealthCheck
- Show Built In Repositories
- Remove Barcode Suffix
- Barcodes use Modulo43
- Default Repository

## Click Save

The next prompt will be to add the relevant repositories.

https://rtfm.tapetrack.com/ Printed on 2025/12/01 12:08



## **Deleting Media Types**

☑ Right-click a Media Type in the Customer Tree. Select Delete Media Type.

**Note:** Media Types that contain Repositories and/or Volumes cannot be deleted. For more information, see:

- · Adding and Deleting Repositories
- Adding and Deleting Volumes

From:

https://rtfm.tapetrack.com/ - TapeTrack Documentation

Permanent link:

https://rtfm.tapetrack.com/master/media?rev=1501855742

Last update: 2025/01/21 22:07

