

Remove Volumes From Container


Remove Volumes Via The Volume Media Inventory Window

Select a **Volume** or range of **Volumes** (Shift+Click and or Ctrl+Click) from the Inventory window to remove from Container/s. **Volumes** assigned to different Containers can be selected and removed at the same time, there is no need to handle one Container at a time.


The screenshot shows the TapeTrack TapeMaster™ (GazillaByte) interface. The main window is titled 'Volumes' and is set to 'Los Angeles Data Center' and 'LTO Cartridge'. The interface includes a menu bar (File, Administration, Favorites, Tools, View, Help) and a 'Customer Filter' field. A tree view on the left shows the hierarchy: GazillaByte - Production > US00 - United States > US01 - New York > US02 - Los Angeles > CONT - Contain > LTO - LTO Cartridge > US03 - North Carolina. The main table lists volumes with the following columns: ID, Current Location, Target Location, Flags, Container, and Description. The table contains 263 items, with 1 selected. The 'Total Selected' is 1 and the 'First Selection' is 44. The 'Repositories' section at the bottom shows icons for GemTrac, Library, and Offsite Vault. The status bar at the bottom indicates 'Connection 127.0.0.1 uses AES 256 bit encryption' and 'Tape'.

ID	Current Location	Target Location	Flags	Container	Description
000000L6	GemTrac		Cn	Unassigned	
000001L6	Library		Cn	Unassigned	
000002L6	Offsite Vault		Cn0	Unassigned	
000003L6	Offsite Vault		CnNO	US02.CONT.CONT001	Friday Backup
000004L6	Offsite Vault		CnNO	US02.CONT.CONT001	Friday Backup
000005L6	Offsite Vault		CnNO	US02.CONT.CONT001	Friday Backup
000006L6	Offsite Vault		CnNO	US02.CONT.CONT001	Monthly January
000007L6	Offsite Vault		Cn0	Unassigned	
000008L6	GemTrac		Cn	Unassigned	
000009L6	Library		CnN	Unassigned	Friday Backup
000010L6	Offsite Vault		Cn0	Unassigned	
000011L6	Library	Offsite Vault	CMn	Unassigned	
000012L6	Library	Offsite Vault	CMn	Unassigned	
000013L6	Library		Cn	Unassigned	
000014L6	Library	Offsite Vault	CMn	Unassigned	
000015L6	GemTrac		Cn	Unassigned	
000016L6	GemTrac		Cn	Unassigned	
000017L6	GemTrac	Library	CMn	Unassigned	
000018L6	GemTrac	Library	CMn	Unassigned	
000019L6	GemTrac	Library	CMn	Unassigned	
000020L6	GemTrac	Library	CMn	Unassigned	

Right click on the highlighted **Volumes** and select Special Operations > Modify > Assign to new/no Container




From the **Container Selection** window check the **Select No Container** checkbox at the top left. This will remove the displayed Containers.



Click OK to remove the [Volumes](#) from the assigned Containers and exit back to the inventory window.

TapeMaster will now display the [Volumes](#) with no assigned Containers.




Remove Volumes Via The Container Media Inventory Window


Purge Container Contents

Right click on the Container you want to remove the **Volumes** from and select **Special operations > Container > Purge**.


Multiple Containers can be purged together by selecting them, using **Shift+Click** or **Ctrl+Click**, before right clicking and selecting **Special operations > Container > Purge**.



Then click Yes to **Confirm purge** popup.




TapeMaster will now display the remaining Container contents, in this example as 0 as all **Volumes** were removed.



Remove Volumes Via The Container Properties Contents Tab


Right click and select Properties, or double click, the required container.



Select the Container Contents tab.

The screenshot shows the 'Edit Volume: CONT001' window. At the top, there are tabs for 'Attributes', 'VerScore™', 'DR Strategies', 'Options', 'Catalog', and 'Container Contents'. Below these are sub-tabs for 'Identity', 'Target Location', 'Current Location', 'Scanned Location', 'Notes', 'History', and 'Datasets'. The 'Volume Attributes' section contains three rows: 'Customer-ID' with values 'US02' and 'Los Angeles Data Center', 'Media-ID' with values 'CONT' and 'Container', and 'Volume-ID' with the value 'CONT001'. Below the attributes is a QR code on the left and a barcode on the right, with the text 'CONT001' centered under the barcode. The 'Update Statistics' section is expanded to show 'When' (Date: Tuesday, November 23, 2021 (0 days ago), Time: 10:51:41, UTC Offset: 600 minutes, Time at source: Tuesday, November 23, 2021 - 09:51:41, Time Zone: AUS Eastern Standard Time), 'From' (Machine Name: 127.0.0.1 (GazillaByte)), 'Details' (Connection Count: 613, First Connection: Monday, August 16, 2021 - 11:01:35, Last Connection: Tuesday, November 23, 2021 - 10:34:34, Interface: TapeTrack TapeMaster, Operating System: Windows), and 'As' (User-ID: doco, User Name: doco). At the bottom right, there are 'Save', 'Cancel', and 'Help' buttons.

Select the required **Volumes** from the displayed list, right-click highlighted **Volumes** and click Remove From Container and Save to close window.



TapeMaster will now display the remaining Container contents, in this example as 0 as all **Volumes** were removed.

The screenshot shows the TapeTrack TapeMaster interface. On the left is a tree view of the organization structure: **GazillaByte - Production** (expanded) containing **US00 - United States** (expanded) with **US01 - New York**, **US02 - Los Angeles** (expanded) with **CONT - Containers** (expanded) and **LTO - LTO Cartridges**, and **US03 - North Carolina**. The main window displays the **Volumes** section for the **Los Angeles Data Center Container**. A table lists 15 volumes with columns for ID, Current Location, Target Location, Flags, Container, and Description. The status bar shows **Total Items: 15**, **Total Selected: 1**, and **First Selection: 1**. Below the table is a **Repositories** section with icons for **Offsite Vault** and **Library**. The bottom status bar indicates **Connection 127.0.0.1 uses AES 256 bit encryption** and a **Tape** icon.

ID	Current Location	Target Location	Flags	Container	Description
CONT001	Offsite Vault		BC...	Is-Container:0	2nd Tuesday November
CONT002	Library		BCn	Is-Container:0	
CONT003	Offsite Vault		BCn0	Is-Container:0	
CONT004	Offsite Vault		BCn0	Is-Container:0	
CONT005	Library		BCn	Is-Container:0	
CONT006	Library		BCn	Is-Container:0	
CONT007	Library		BCn	Is-Container:0	
CONT008	Offsite Vault		BCn0	Is-Container:0	
CONT009	Library		BCn	Is-Container:0	
CONT010	Library		BCn	Is-Container:0	
CONT011	Library		BCn	Is-Container:0	
CONT012	Offsite Vault		BCn0	Is-Container:0	
CONT013	Library		BCn	Is-Container:0	
CONT014	Library		BCn	Is-Container:0	
CONT015	Library		BCn	Is-Container:0	

From: <https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link: https://rtfm.tapetrack.com/master/remove_volume_container_inventory

Last update: **2025/01/21 22:07**

