


# Remove Volumes From Container


## Remove Volumes Via The Volume Media Inventory Window

[master\\_volume\\_from\\_container.mp4](#)


Select a volume or range of volumes (Shift+Click and or Ctrl+Click) from the inventory window to remove from container/s. Volumes assigned to different containers can be selected and removed at the same time, there is no need to select one container at a time.



Right click on the highlighted Volumes and select Special Operations > Modify > Assign to new/no container




From the **Container Selection** window check the **Select No Container** checkbox at the top left. This will remove the displayed containers.



Click OK to remove the Volumes from the assigned containers and exit back to the inventory window.

TapeMaster will now display the Volumes with no assigned containers.




## Remove Volumes Via The Container Media Inventory Window


### Purge Container Contents


Right click on the Container you want to remove the Volumes from and select Special operations > Container > Purge.

Multiple Containers can be purged together by selecting them, using Shift+Click or Ctrl+Click, before right clicking and selecting Special operations > Container > Purge.




Then click Yes to **Confirm purge** popup.





## Remove Volumes Via The Container Properties Contents Tab

Right click and select Properties, or double click, the required container.




Select the Container Contents tab.

The screenshot shows the 'Edit Volume: CONT001' window. At the top, there are tabs for 'Attributes', 'VeriScore™', 'DR Strategies', 'Options', 'Catalog', and 'Container Contents'. Below these are sub-tabs for 'Identity', 'Target Location', 'Current Location', 'Scanned Location', 'Notes', 'History', and 'Datasets'. The 'Volume Attributes' section contains three rows: 'Customer-ID' with values 'US02' and 'Los Angeles Data Center', 'Media-ID' with values 'CONT' and 'Container', and 'Volume-ID' with the value 'CONT001'. Below the attributes is a QR code on the left and a barcode on the right with the label 'CONT001'. The 'Update Statistics' section is expanded, showing a tree view with 'When', 'From', 'Details', and 'As' sub-sections. The 'When' section includes Date, Time, UTC Offset, Time at source, and Time Zone. The 'From' section includes Machine Name. The 'Details' section includes Connection Count, First Connection, Last Connection, Interface, and Operating System. The 'As' section includes User-ID and User Name. At the bottom right, there are 'Save', 'Cancel', and 'Help' buttons.

Volume Attributes	
Customer-ID	US02 Los Angeles Data Center
Media-ID	CONT Container
Volume-ID	CONT001

Update Statistics	
When	
Date	Tuesday, November 23, 2021 (0 days ago)
Time	10:51:41
UTC Offset	600 minutes
Time at source	Tuesday, November 23, 2021 - 09:51:41
Time Zone	AUS Eastern Standard Time
From	
Machine Name	127.0.0.1 (GazillaByte)
Details	
Connection Count	613
First Connection	Monday, August 16, 2021 - 11:01:35
Last Connection	Tuesday, November 23, 2021 - 10:34:34
Interface	TapeTrack TapeMaster
Operating System	Windows
As	
User-ID	doco
User Name	doco

Select the required volume/s from the displayed list, right-click highlighted volumes and click Remove From Container and Save to close window.



TapeMaster will now display the remaining Container contents, in this example as 0 as all Volumes were removed.

Last update: 2025/01/21 22:07 master:remove\_volume\_container\_inventory https://rtfm.tapetrack.com/master/remove\_volume\_container\_inventory?rev=1637631246

The screenshot shows the TapeTrack TapeMaster™ (GazillaByte) interface. The main window displays a list of volumes under the heading "Los Angeles Data Center Container". The table below shows the details of these volumes:

ID	Current Location	Target Location	Flags	Container	Description	N
CONT001	Offsite Vault		BC...	Is-Container:0	2nd Tuesday November	T.
CONT002	Library		BCn	Is-Container:0		P
CONT003	Offsite Vault		BCn0	Is-Container:0		P
CONT004	Offsite Vault		BCn0	Is-Container:0		P
CONT005	Library		BCn	Is-Container:0		P
CONT006	Library		BCn	Is-Container:0		P
CONT007	Library		BCn	Is-Container:0		P
CONT008	Offsite Vault		BCn0	Is-Container:0		P
CONT009	Library		BCn	Is-Container:0		P
CONT010	Library		BCn	Is-Container:0		P
CONT011	Library		BCn	Is-Container:0		P
CONT012	Offsite Vault		BCn0	Is-Container:0		P
CONT013	Library		BCn	Is-Container:0		P
CONT014	Library		BCn	Is-Container:0		P
CONT015	Library		BCn	Is-Container:0		P

Below the table, the interface shows "Total Items: 15", "Total Selected: 1", and "First Selection: 1". Under the "Repositories" section, there are icons for "Offsite Vault" and "Library". At the bottom of the window, a status bar indicates "Connection 127.0.0.1 uses AES 256 bit encryption" and a "Tape" icon.

From: <https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link: [https://rtfm.tapetrack.com/master/remove\\_volume\\_container\\_inventory?rev=1637631246](https://rtfm.tapetrack.com/master/remove_volume_container_inventory?rev=1637631246)

Last update: **2025/01/21 22:07**

