

# Repository Options

The repository options allow fine tuning of a repositories behavior to match your processes of volume management.

Edit Repository: Offsite Vault

Identity	Zones	Slot Usage	Options	Usage History	Movement History	Certification																																																		
<b>GUIDs</b> <table border="1"> <tr> <td>Local</td> <td>55533033-0000-0000-4c54-4f004f464653</td> </tr> <tr> <td>Remote</td> <td>00000000-0000-0000-0000-000000000000</td> </tr> </table>							Local	55533033-0000-0000-4c54-4f004f464653	Remote	00000000-0000-0000-0000-000000000000																																														
Local	55533033-0000-0000-4c54-4f004f464653																																																							
Remote	00000000-0000-0000-0000-000000000000																																																							
<b>Allowable Volume-IDs</b> <table border="1"> <tr> <td>Type</td> <td>Vault</td> </tr> <tr> <td>Scratch Mode</td> <td>No Change</td> </tr> <tr> <td>Scratch Priority</td> <td>0</td> </tr> <tr> <td>Offsite</td> <td>True</td> </tr> <tr> <td>Primary</td> <td>False</td> </tr> <tr> <td>No Distribution</td> <td>False</td> </tr> <tr> <td>Internal</td> <td>False</td> </tr> <tr> <td>Sort Sequence</td> <td>0</td> </tr> <tr> <td>Force Simple Management</td> <td>False</td> </tr> <tr> <td>No Next Repository</td> <td>False</td> </tr> <tr> <td>Allow Deletes</td> <td>False</td> </tr> <tr> <td>Allow Overlaps</td> <td>False</td> </tr> <tr> <td>De-assign from Container</td> <td>False</td> </tr> <tr> <td>Empty Container</td> <td>False</td> </tr> <tr> <td>Do not slot if Container</td> <td>False</td> </tr> <tr> <td>Do not slot</td> <td>False</td> </tr> <tr> <td>Require Tag</td> <td>False</td> </tr> <tr> <td>Require Tag Reset</td> <td>False</td> </tr> <tr> <td>No re-move</td> <td>False</td> </tr> <tr> <td>Disallow backward next move date changes</td> <td>False</td> </tr> <tr> <td>Reset Data Cluster</td> <td>False</td> </tr> <tr> <td>Confirm Container Contents</td> <td>False</td> </tr> <tr> <td>Move Container Contents</td> <td>False</td> </tr> <tr> <td>Late Threshold</td> <td>0</td> </tr> <tr> <td>Highwater Offset</td> <td>0</td> </tr> </table>							Type	Vault	Scratch Mode	No Change	Scratch Priority	0	Offsite	True	Primary	False	No Distribution	False	Internal	False	Sort Sequence	0	Force Simple Management	False	No Next Repository	False	Allow Deletes	False	Allow Overlaps	False	De-assign from Container	False	Empty Container	False	Do not slot if Container	False	Do not slot	False	Require Tag	False	Require Tag Reset	False	No re-move	False	Disallow backward next move date changes	False	Reset Data Cluster	False	Confirm Container Contents	False	Move Container Contents	False	Late Threshold	0	Highwater Offset	0
Type	Vault																																																							
Scratch Mode	No Change																																																							
Scratch Priority	0																																																							
Offsite	True																																																							
Primary	False																																																							
No Distribution	False																																																							
Internal	False																																																							
Sort Sequence	0																																																							
Force Simple Management	False																																																							
No Next Repository	False																																																							
Allow Deletes	False																																																							
Allow Overlaps	False																																																							
De-assign from Container	False																																																							
Empty Container	False																																																							
Do not slot if Container	False																																																							
Do not slot	False																																																							
Require Tag	False																																																							
Require Tag Reset	False																																																							
No re-move	False																																																							
Disallow backward next move date changes	False																																																							
Reset Data Cluster	False																																																							
Confirm Container Contents	False																																																							
Move Container Contents	False																																																							
Late Threshold	0																																																							
Highwater Offset	0																																																							
<input type="button" value="Save"/> <input type="button" value="Cancel"/> <input type="button" value="Help"/>																																																								

## Allowable Volume ID's

When left blank, volumes with any allowable characters can be added to this [Repository](#). [Filters](#) can be added to force all new volumes added to conform to certain criteria.

Adding **??????L?** will force all new volumes to have 8 characters including an L in the 7th position.  
 Adding **US\*** will force all new volumes to start with a US prefix.

## Type

Select type of repository to change display icon to match repository function.

The basic choices are:

-  Destruction
-  Disaster Recovery
-  Legal Hold
-  Library
-  Ordered
-  Rack
-  Scratch
-  Transport
-  Vault

## Scratch Mode

- No Change
- Scratch
- Un-scratch

## Scratch Priority

- Scratch selection priority (0=do not consider).

## Offsite

- This repository is considered to be offsite when set to True.

## Primary

- This repository is considered to be the Primary Repository when set to True.

## No Distribution

- When picking a volume that is destined for this [Repository](#), confirm the movement when set to true.

## Internal

- This [Repository](#) has an internal purpose and should not be displayed in all applications when set to True.

## Sort Sequence

- The order in which this [Repository](#) will be displayed. (0=first, 255=last)

## Force Simple Management

- When a Volume moves to this [Repository](#) always force [Simple Management](#) when set to True.

## No Next Repository

- When set to True this [Repository](#) can be saved even though it may have no Next Repository.

## Allow Deletes

- When set to True, Users with alter privileges can delete Volumes in the selected [Repository](#).

## Allow Overlaps

- When set to True this will allow internal overlapping Zone locations to be assigned to this [Repository](#).

## De-assignment from Container

- When set to True a confirmed Volume will be unassigned from a Container.

## Empty Container

- When set to True all Volumes will be unassigned when confirmed.

## Do not slot if Container

- When set to True it will add a “Do Not Slot” option to a Container when it is moved to this [Repository](#).

## Do not slot

- When set to True it will add a “Do Not Slot” option to any Volume when it is moved to this [Repository](#).

## Require Tag

- When set to True a Require a Tag value will be set for any Volume moving to this [Repository](#).

## Require Tag Reset

- When set to True a Require a Tag value to be confirmed before a Volume can be confirmed out of this [Repository](#).

## No re-move

- When set to True a [Volume](#) will not be allowed to be moved to another [Repository](#) until it is confirmed in this [Repository](#).

## Disallow backward next move date changes

- When set to True disallow any update to the move date of a [Volume](#) that is today or earlier.

## Reset Data Cluster

- When set to True this will reset the [Data Cluster](#) of any [Volume](#) confirmed to this [Repository](#).

## Confirm Container Contents

- When set to True this will confirm the Container contents for this [Repository](#).

## Move Container Contents

- When set to True this will move Containers contents when moved to this [Repository](#).

## Late Threshold

- When a Late Threshold is set for this [Repository](#) a Volume will be flagged as late. (600=600 minutes or 10 hours)

## [:master:adjusting\_slot\_allocation#R-removing-occupied-slots|Highwater offset]]

- When [Slotting](#) is set to use IntelliSlot (see below), the automatic [Slotting](#) process will group Volumes together in Zones based on the [Slotting](#) Order (see below) until the Slot Number matches the Highwater Offset. At this point, IntelliSlot will stop grouping Volumes and will put them wherever a Slot is available.

## Movement Mode

- Automatically Confirm.
- Bypass and move to Next Repository.
- Automatically Confirm then move it to the next [Repository](#).

## Next Repository

- Relates to the [Repository](#) a Volume will move to after it has been in this [Repository](#).

## Enable Slotting

- When set to True, Volumes moving to this [Repository](#) will be assigned a [slot](#).

## Capacity

Sets the maximum number of Volumes that can be confirmed or in a Move Status to the selected [Repository](#) at any given time.

- In Use
- Incoming
- Outgoing
- Minimum Scratch
- Scratch

## Coordinates

Coordinates can be entered for the geographic location of this [Repository](#).

- Latitude
- Longitude

From:  
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**



Permanent link:  
[https://rtfm.tapetrack.com/master/repository\\_options?rev=1517881316](https://rtfm.tapetrack.com/master/repository_options?rev=1517881316)

Last update: **2025/01/21 22:07**