Scanning Volumes To A Container

Volumes can be scanned or assigned to a container directly via the container's properties window.

From the inventory window open the required container's properties tab by either right-clicking the required container and selecting Properties or double clicking.

Volume	S						
ID	Current Locat	ion		Target Location Flags	Move Time	Due in	Container
Enter tex	t h 🍸 Enter text here	2	Y	Enter text he 🍸 Enter 🍸	Enter t 🍸	Enter t 🍸	Enter tex
6 0017		.14.10000	01]	BCO		Unspecified	Is-Container
ە 🖉	Add		02]	BCO		Unspecified	ls-Container
🍮 OC	Delete		03]	BCO			Is-Container
G 0(Edit	>	04]	BCO			Is-Container
	Export						
	Find	>					
	Favorites	>					
	Print	>					
	Properties N						
	Select	3 >					
	Special Operations	>					
	View	>	I				

Open the Container Contents tab, right-click and select Scan To Assign Volume to open the scan in window.

/ Notes	16 H	listory		Datase	ts	1	Attributes		VeriScore ^{***}
👤 DR	Strategies	P Op	tions			Catalog		S Co	ntainer Contents
/olume	R	epository		Next I	Nove	Flags	Description		
	Assign to ne	w/no contai	ner						
	Edit			>					
	Export			>					
	Properties								
	Remove from	m Container							
	Scan to Assi	gn Volume							
			13						

Scan in the volumes to be assigned to the container using your preferred scanning method.



If scanning unqualified barcodes (ie 123456L5 not US01.LTO.123456L5) you will need to make sure the customer ID and media ID are correct in the defaults of the scan window for the volumes.

Im Scan to assign to Container			×	
000015L5	200	Defaults Customer-ID US Media-ID LT	03 O	
		Options Save Defaults Tru Enable Sounds Tru Edit Multiline Records Fal	ie ie se	
Barcode Customer Media Type Volume-ID Message Im 000015LS North Carolina Data Center It T0 Cartridge 000015LS Request 0K Im 000012LS North Carolina Data Center It T0 Cartridge 000014LS Request 0K Im 000012LS North Carolina Data Center It T0 Cartridge 000014LS Request 0K Im 000011LS North Carolina Data Center It T0 Cartridge 000012LS Request 0K Im 000011LS North Carolina Data Center It T0 Cartridge 000011LS Request 0K	Count 1 1 1 1	Media-ID		
d Messages (4)	Media-ID Default Media-ID to be used can not be determined from the determined from	Media-ID Default Media-ID to be used when one can not be determined from the Barcode		

Close the scan window when finished and click Save to apply volume assignment and close the container property window.

