# Slotting

A Slot is a location in a Zone large enough for one Volume. Slotting is a process of allocating a volume to a particular slot to allow documentation of the exact storage location of that volume.

## Adding Slots to a Repository

To add Slots to a Repository, create a Zone using the Zone Administration tool in the Administration Menu. Then, follow the steps to Add a Zone to a Repository.

### Manually Add a Volume to a Slot

To manually add a Volume to a Slot, Double-Click a Volume in the Volume List or Right-Click a Volume in the Volume List and select Properties. This will launch the Volume Properties Window.

Select the **Target Location** tab and enter a Slot number in either the Slot field in the Relative Location window or the Level field and Slot field in the Absolute Location window.

| Jatasets          | Attributes<br>Target Location | VeriScore***<br>W Current Locati | OR Strategies<br>on Scanned Loc | ation / Notes | Catalog<br>19 History |
|-------------------|-------------------------------|----------------------------------|---------------------------------|---------------|-----------------------|
| Relative Location |                               |                                  |                                 |               |                       |
| Repository-ID     | OFFS                          | Offsite Vault                    |                                 | ~             |                       |
| Slot              | 5                             | Maximum=6                        | 60                              |               |                       |
| Absolute Location |                               |                                  |                                 |               |                       |
| Zone-ID           | Drawer 1 divider              | 1                                |                                 | <u>~</u>      |                       |
| Level             | 1                             | ÷                                |                                 |               |                       |
| Slot              |                               | <b>÷</b>                         |                                 |               |                       |

Click Save and the Volume will be put into a Move to that slot, even if that Volume is moving to a Slot within its Current Repository.

Click F5 in the inventory window to update the display to show new target slotting.

### **Automatic Slotting**

Automatic Slotting in TapeTrack is done with a Command Line program called TMSS10SlotAllocation that is included in installs of TapeTrack Framework Server and TapeTrack Server Utilities in

conjunction with Windows Task Scheduler.

TMSS10SlotAllocation must be run on the TapeTrack Framework Server, but it can be launched remotely if necessary.

#### Sample Slotting Script

```
TMSS10SlotAllocation -S superuser:-password@tapetrack.domain.com >
"%TMSS10REPORTS%\slotting_report.txt" 2>
"%TMSS10REPORTS%\slotting_error.txt"
```

#### **Preparing TapeMaster for Automatic Slotting**

Before running TMSS10SlotAllocation, Repositories must be set so that Slotting is Enabled. This can be done under the Options Tab of the Repository Properties Window.

| 🕴 Identity ( 🥥 Zones 🛛 🖳 Slot Usage    | 👔 Options 👖 Usage History 🔟 Movement History 🗔 Certific | ation |
|--|---|-------|
| Allow Deletes                          | False   | ^     |
| Allow Overlaps                         | False   |       |
| De-assign from Container               | False   |       |
| Empty Container                        | False   |       |
| Do not slot if Container               | False   |       |
| Do not slot                            | False   |       |
| Require Tag                            | False   |       |
| Require Tag Reset                      | False   |       |
| No re-move                             | False   |       |
| Disallow backward next move date chang | es False  |       |
| Reset Data Cluster                     | False   |       |
| Confirm Container Contents             | False   |       |
| Move Container Contents                | False   |       |
| Late Threshold                         | 0   |       |
| Highwater Offset                       | 0   |       |
| Movement Mode                          | None  |       |
| Next Repository                        | Library   |       |
| Enable Slotting                        | True  |       |
| Slot Assignment Options                |   |       |
| Slotting Mode                          | IntelliSlot   |       |
| Ignore Home Slot                       | False   |       |
| Do not reslot                          | False   |       |
| Retain moving slot                     | False   |       |
| Slotting Order                         | Movement Time   |       |
| Capacity                               |   |       |
| Coordinates                            |   |       |
|  |   |       |
|  |   |       |
|  |   | ~     |
|  |   |       |
|  |   |       |
|  |   |       |
|  |   |       |

Once **Slotting** is enabled, the slotting preferences can be set.

#### • Slot Assignment Setting

- IntelliSlot: The Slotting batch process will Slot Volumes in groups by Consignment or Slotting Order until the available group slots are filled. At this point, empty Slots will be filled on a First Available Status.
- **First Available**: Volumes will be put in the first available Slot in their Repository and will not be grouped.
- **Bypass**: When Volumes are automatically confirmed (see above), they will not be assigned Slots.
- **Ignore Home Slot**: If a Volume has been assigned a Home Slot in the Options Tab of the Volume Properties Window, this Repository will ignore it and Slot using the Slot assignment setting.
- **Slotting Order**: There are three orders with which Volumes may be assigned Slots:
  - **Movement Time**: Volumes will be assigned Slots based on when they arrived at the selected Repository.

- **From Location**: Volumes will be assigned Slots based on which Repository they were sent from.
- Volume-ID: Volumes will be assigned Slots in the alphanumeric order based on their Volume-IDs.

From: https://rtfm.tapetrack.com/ - **TapeTrack Documentation** 

Permanent link: https://rtfm.tapetrack.com/master/slotting?rev=1508345676



Last update: 2025/01/21 22:07