Plugins

The **Plugins** window under the `Tools` menu displays a list of plugins currently installed in TapeTrack. A user ID with tapemaster rights is required to access the Plugin tools.

There are three built-in plugins that come with each TapeMaster install. They are:

- Clone Repository Utility: Duplicates a Repository and puts it in another Customer.
- Customer Deletion Utility: Will delete a Customer and all of the Media Types, Repositories, and Volumes.
- Repository Rename Utility: Will change a Repository-ID and move all Volumes from the old Repository-ID to the new one.

To run a plugin, double-click it.

Clone Repository Utility

Duplicates a Repository and puts it in another Customer.

Template Repository

- **Customer**: Enter the Customer you want to clone the Repository from.
- **Media**: Enter the Media type to duplicate.
- **Repository**: Enter the Repository-ID.

Target(s)

- **Customer**: Enter the Customer you want to clone the Repository to.
- **Media**: Enter the Media type that will be duplicated.

When you have finished filling in the details click `Clone` to complete.

Customer Deletion Utility

The Customer Deletion Ultilty will delete the selected Customer along with all it's dependencies.

Select the required customer/s you want to delete via the checkboxes and click `Delete Selected` and `Yes` on the conformation popup.

Repository Rename Utility

The Repository Rename Utility will change a Repository-ID and move all Volumes from the old Repository-ID to the new one.

When you have finished filling in the details click Rename and Yes on the conformation popup to complete.