


# Plugins

The **Plugins** window under the Tools menu displays a list of plugins currently installed in TapeTrack. A user ID with tapemaster rights is required to access the Plugin tools.



There are three built-in plugins that come with each TapeMaster install. They are:

- [Clone Repository Utility](#): Duplicates a Repository and puts it in another Customer.
- [Customer Deletion Utility](#): Will delete a Customer and all of the Media Types, Repositories, and Volumes.
- [Repository Rename Utility](#): Will change a Repository-ID and move all Volumes from the old Repository-ID to the new one.

To run a plugin, double-click it.

TapeTrack Plugins		
Name	Author	Description
Clone Repository Utility	GazillaByte LLC	Copy Repositories from one Customer to another
Customer Deletion Utility	GazillaByte LLC	Efficiently deletes Customers and all their dependencies
Repository Rename Utility	GazillaByte LLC	Facilitates the bulk renaming of Repositories

Clone Repository Utility

Duplicates a Repository and puts it in another Customer.

Plugin: Clone Repositories

Template Repository

Customer

US01

Media

LTO

Repository

LIBR

Target(s)

Customer

US02

Media

LTO

☐ Replace Repository Name with Customer Number

☐ Replace Next Repository Name with Customer Number

Clone

Cancel

## Template Repository

- **Customer:** Enter the Customer you want to clone the Repository from.
- **Media:** Enter the Media type to duplicate.
- **Repository:** Enter the Repository-ID.

## Target(s)

- **Customer:** Enter the Customer you want to clone the Repository to.
- **Media:** Enter the Media type that will be duplicated.

When you have finished filling in the details click Clone to complete.

## Customer Deletion Utility

The Customer Deletion Utility will delete the selected Customer along with all it's dependencies.

Select the required customer/s you want to delete via the checkboxes and click Delete Selected and Yes on the conformation popup.

Plugin: Delete Customers

Please select the Customers that you wish to delete.

Once selected then click the 'Delete Selected' button.

This Plugin will then delete the Customer and all of its child records.

Customer	Volumes	Moves
<input type="checkbox"/> Los Angeles Data Center	326	0
<input checked="" type="checkbox"/> New York Data Center	2,287	730
<input type="checkbox"/> North Carolina Data Center	123	20

Delete Selected

Cancel

## Repository Rename Utility

The Repository Rename Utility will change a Repository-ID and move all Volumes from the old Repository-ID to the new one.

**Plugin: Rename Repository**

This Plugin will allow you to rename an existing Repository by:

- (1) Creating a new Repository with the same attributes as the old
- (2) Moving all Volumes from the old Repository to the new
- (3) Optionally deleting the old Repository.

Property	Value
Customer-ID Filter	<b>US01</b>
Media-ID Filter	<b>LTO</b>
Source Repository-ID	<b>LIB</b>
Target Repository-ID	<b>LIBR</b>
Output Log Folder	<b>C:\Program Files\TapeTrack</b>
Delete Source Repository	<b>True</b>
Move Volumes to Target	<b>True</b>
Rename NEXT Repository	<b>True</b>

Rename

Cancel

When you have finished filling in the details click Rename and Yes on the conformation popup to complete.

From:  
<https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link:  
[https://rtfm.tapetrack.com/master/tools\\_plugins?rev=1506048888](https://rtfm.tapetrack.com/master/tools_plugins?rev=1506048888)

Last update: **2025/01/21 22:07**

