

# Adding and Updating User Information

## Overview

The User Administration is the main maintenance terminal for managing Users.

## Group/User Administration

On the Administration drop down menu in TapeTrack TapeMaster select Group/User Administration.



To add a new User, right-click in the white space on the User Administration screen and select Add.



To update an existing User, double-click on that User or right-click and select “Properties”. The Add New User window will display six tabs:

- [Identity](#)
- [Group](#)
- [IP Ranges](#)
- [Access](#)
- [Options](#)
- [Defaults](#)

## Identity

The Identity tab provides fields to update the User - ID and Name.

- User ID: The User ID will be the user name that the user uses to login to TapeTrack products.
- Name: The name is the User's desired display name.

Identity	
ID	
Name	
Group	
ID	
Options	
Administrative rights	False
Scan-In Only	False
Disabled	False
No Scanner	False
No Time-Out	False
tapemaster rights	False
Allow access inheritance	False
Certify	False
AD Domain	
Require AD Group	False
Client Access	
TapeMaster	True
Lite	True
Checkpoint	False
Sync	True
Details	
Email Address	
Description	
Defaults	
Customer-ID	<No Selection>

## Group

The Group tab is where a User is added to a group depending on their role.

- Group: Associates the selected User with a Group.
- Role: Sets the Role for the User.



## IP Ranges

The IP Ranges tab sets restrictions on which IP addresses a User can access the TapeTrack Server from. To add or delete, right-click the window. Global Access will allow access from any IP.

The screenshot shows a window titled "Add New User" with a close button (X) in the top right corner. Below the title bar are three tabs: "Identity" (with a person icon), "IP Ranges" (with a key icon), and "Access" (with a lock icon). The "Access" tab is selected. The main area contains a tree view on the left with expandable sections: "Identity", "Group", "Options", "Client Access", "Details", and "Defaults". Each section has associated fields, many of which are boolean values. At the bottom of the dialog are three buttons: "Save", "Cancel", and "Help".

Section	Field	Value
Identity	ID	
	Name	
Group	ID	
Options	Administrative rights	False
	Scan-In Only	False
	Disabled	False
	No Scanner	False
	No Time-Out	False
	tapemaster rights	False
	Allow access inheritance	False
	Certify	False
	AD Domain	
	Require AD Group	False
	Client Access	TapeMaster
Lite		True
Checkpoint		False
Sync		True
Details	Email Address	
	Description	
Defaults	Customer-ID	<No Selection>

## Access

The Access tab sets permissions for which Customers the selected User can access and how that User can interact with Volumes in the selected Customer.

Identity	
ID	
Name	
Group	
ID	
Options	
Administrative rights	False
Scan-In Only	False
Disabled	False
No Scanner	False
No Time-Out	False
tapemaster rights	False
Allow access inheritance	False
Certify	False
AD Domain	
Require AD Group	False
Client Access	
TapeMaster	True
Lite	True
Checkpoint	False
Sync	True
Details	
Email Address	
Description	
Defaults	
Customer-ID	<No Selection>

- Customer ID: Enter the Customer-ID for the Customer that the User should have access to.
- Read: Allows the User to view but not update Volumes in the above Customer. Must be enabled for the User to be able to view Volumes in the Customer.
- Write: Allows the User to perform basic operations for Volumes in a Customer.
- Alter: Allows the User to Add and Delete Volumes to the selected Customer.

Click Add and then Save.

## Options

The Options tab has 3 sections to provide access to additional features of the software.

Add New User
✕

Identity
 Group
 IP Ranges
 Access
 Options
 Defaults

[-] Options

Administrative rights	True
Scan-In Only	False
Disabled	False
No Scanner	False
No Time-Out	False
tapemaster rights	True
Certify	True
AD Domain	your.tapetrack.domain
Require AD Group	True

[-] Client Access

TapeMaster	True
Lite	True
Checkpoint	False
Sync	True

[-] Details

Email Address	
Description	

## Options

In the Options section is where you can select True or False to give that User access to that feature.

- Administration Rights: When set to True the User will have Administration Rights with Server Administrator privileges or the ability to Add or Delete Customers and Add or Delete Media Types.
- Scan-In Only: When set to True the User will only be able to Scan tapes into the system.
- Disabled: When set to True the User' access will be in a disabled status, so that they are not able to access any TapeTrack products. This does not delete the User.
- No Scanner: When set to True the Barcode Scanning Window will provide an auto-complete drop-down.
- No Time-Out: By default, all User's are logged out of TapeMaster after ten minutes of inactivity. Setting this to True, the selected User will not time out.
- tapemaster rights: When set to True, it allows the User to gain the same administrative rights as the tapemaster superuser account.

- AD Domain: This is required if the User logs on to TapeTrack with their Active Directory Username and Password.
- Require AD Group: When set to True, the User must use their Active Directory credentials.

## Client Access


- When any of the Client Access are set to True, it allows the User to have access to the TapeTrack software that is selected.

## Details

- Allows inclusion of user email

## Defaults

The Defaults tab sets a User's default Customer and Media Type for Barcode scanning. These defaults can be changed in the Barcode Scanning Window at any point.



Once all information click Save to create new user

From: <https://rtfm.tapetrack.com/> - **TapeTrack Documentation**

Permanent link: <https://rtfm.tapetrack.com/master/user?rev=1500304814>

Last update: **2025/01/21 22:07**

