Adding and Updating User Information

To be able to login to a TapeTrack Framework Server, you must have a User-ID and password.

This section describes how to add a new User-ID and set attributes for that User-ID.

Group/User Administration

On the Administration drop-down menu in TapeTrack TapeMaster select Group/User Administration.

Т 🔟	apeTrack TapeMas	ter™ (Gazill	aByte LL	C)							1
File	Administration	Favorites	Tools	View	Help						
	Active User List Client Licensing Barcode Administration			<mark>5/39)</mark> (326/0)		 Inventory	<u>0</u> c	DR Strategies 🔏	D	ata Clusters 🛛 🔯	(j Simp
	Group/User Administration Message List			(2,319/38) nter A (121/1)	Volumes						
	Server Options Server Statistics					Enter text h	7	Enter text h	n 7	Enter text	En
	Stock Control Zone Administrat	tion									
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~~	~			 	~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	[ ; ; ; ;

To add a new User, right-click in the white space on the User Administration screen and select Add.

🙎 User Administration	ı					
d 🧵 Users 🤒	Groups 📑 Active Di	rectory Associations				( 1
User-ID	Name	Status	Group	Role	Email	Descripti
Enter text here	Enter text here	Enter text 🍸	Enter text h 🍸	Enter text 🍸	Enter text 🍸	Enter tex
2 tapemaster		Active				
						-
Add	N					Ì
Delete	5					< rev
Edit	· · ·					
Export	>					:
Manageme	ent >					Ş
Properties						Ì
Select	>					_
						Ş
						Ś
	~ _ ~~ _ ~~ _		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		<b>`</b>	

To update an existing User, double-click on that User or right-click and select Properties.

The Add New User window will display three tabs:

- Identity
- IP Ranges
- Access

### Identity

The Identity tab provides fields to update the:

- Identity
  - **User-ID**: The User ID will be the user name that the user uses to login to TapeTrack products.
  - **Name**: The name is the User's desired display name.
- Group
  - **Group ID**: Select group to assign user to from the drop-down list or add new group.
- Options
  - **Administrative rights**: When set to True the User will have Administration Rights with Server Administrator privileges or the ability to Add/Delete Customers and Media Types.
  - $\circ~$  Scan-In Only: When set to True the User will only be able to Scan tapes into the system.
  - **Disabled**: When set to True the User's access will be in a disabled status, so that they are not able to access any TapeTrack products. This does not delete the User.
  - **No Scanner**: When set to True the Barcode Scanning Window will provide an autocomplete drop-down.
  - **No Time-Out**: By default, all User's are logged out of TapeMaster after ten minutes of inactivity. Setting this to True, the selected User will not time out.
  - tapemaster rights: When set to True, it allows the User to gain the same

- administrative rights as the tapemaster superuser account.
- **Certify**: Assigns the ability to generate certificates.
- **AD Domain**: This is required if the User logs on to TapeTrack with their Active Directory Username and Password.
- **Require AD Group**: When set to True, the User must use their Active Directory credentials.
- Client Access
  - TapeMaster: Authorizes User-ID access to TapeMaster
  - Lite: Authorizes User-ID access to Lite
  - $\circ~\textbf{Checkpoint}:$  Authorizes User-ID access to Checkpoint
  - **Sync**: Authorizes User-ID access to Sync software.
- Details
  - **Email Address**: Allows inclusion of user email, which may be used instead of username to log into TapeTrack directly (ie not using Active Directory)
  - **Description**: Add description to User-ID.
- Defaults
  - **Customer-ID**: Sets Customer-ID for User in Scan-In window. Once Customer-ID is set, Media-ID field will be displayed.
  - **Media-ID**: Sets Media-ID for User in Scan-In window.



If using windows Active Domain to log into TapeTrack, the username must match your AD username

Add	New User		×
2	ldentity 🔮 IP Ranges	Access	
Ξ	Identity		
	ID		
	Name		
Ξ	Group		
	ID		
Ξ	Options		
	Administrative rights	False	
	Scan-In Only	False	
	Disabled	False	
	No Scanner	False	
	No Time-Out	False	
	tapemaster rights	False	
	Allow access inheritance	False	
	Certify	False	
	AD Domain		
	Require AD Group	False	
	Client Access		
	TapeMaster	True	
	Lite	True	
	Checkpoint	False	
	Sync	True	
Ξ	Details		
	Email Address		
	Description		
Ξ	Defaults		
	Customer-ID	<no selection=""></no>	
		Save Cancel Help	

## **IP** Ranges

The IP Ranges tab sets restrictions on which IP addresses a User can access the TapeTrack Server from.

 $\times$ 

	IP	Mask	
¥ 1	0.0.0.0		
		Add IP	
		Add Global Access II	
		Delete IP	
	_		

To add or delete, right-click the window and select from the menu.

Global Access (0.0.0.0) will allow access from any IP.

## Access

The Access tab sets permissions for which Customers the selected User can access and how that User can interact with Volumes in the selected Customer.

Add New User

Add New User								×
👂 Identity 🏒	IP Ranges	Access						
Customer-ID Access Read Write Alter Catalog	US* True True True True		Customer-ID	Access Read	Wnite <u>I</u> Alte	r Cata	alog	
Add Access Predit	ction Description		Access					\$
US01 US02	_		Read	Write A	Ater Catal			
Total Items	2							
					Save	(	Cancel	Help

- Customer ID: Enter the Customer-ID for the Customer that the User should have access to.
  - $\,\circ\,$  US01 will give access to US01 only
  - $\circ~$  US* will give access to all customers starting with US
  - $\circ\,$  * will give access to all customers
- **Read**: Allows the User to view but not update Volumes in the above Customer. Must be enabled for the User to be able to view Volumes in the selected Customer ID.
- Write: Allows the User to perform basic operations for Volumes to the selected Customer.
- Alter: Allows the User to Add and Delete Media and Volumes to the selected Customer.
- **Catalog**: Allows User to access Catalog information on the selected Customer.

Click Add.

## Options

The Options tab has 3 sections to provide access to additional features of the software.

	Identity 🤒 Group 🖉 IP	Ranges 🧧 Access 👔 Options 👔 Defaults					
Ξ	Options						
	Administrative rights	True					
	Scan-In Only	False					
	Disabled	False					
	No Scanner	False					
	No Time-Out	False					
	tapemaster rights	True					
	Certify	Тгие					
	AD Domain	your.tapetrack.domain					
	Require AD Group	True					
Ξ	Client Access						
	TapeMaster	True					
	Lite	True					
	Checkpoint	False					
	Sync	True					
Ξ	Details						
	Email Address						
	Description						

### Options

In the Options section is where you can select True or False to give that User access to that feature.

- Administrative rights: When set to True the User will have Administration Rights with Server Administrator privileges or the ability to Add/Delete Customers and Add/Delete Media Types.
- Scan-In Only: When set to True the User will only be able to Scan tapes into the system.
- **Disabled**: When set to True the User's access will be in a disabled status, so that they are not able to access any TapeTrack products. This does not delete the User.
- **No Scanner**: When set to True the Barcode Scanning Window will provide an auto-complete drop-down.
- **No Time-Out**: By default, all User's are logged out of TapeMaster after ten minutes of inactivity. Setting this to True, the selected User will not time out.
- **Tapemaster rights**: When set to True, it allows the User to gain the same administrative rights as the tapemaster superuser account.
- **Certify**: Assigns the ability to generate certificates.
- **AD Domain**: This is required if the User logs on to TapeTrack with their Active Directory Username and Password.
- **Require AD Group**: When set to True, the User must use their Active Directory credentials.

### **Client Access**

• When any of the Client Access are set to True, it allows the User to have access to the TapeTrack software that is selected.

Default settings give access to TapeMaster, Lite and Sync.

#### Details

### Defaults

The Defaults tab sets a User's default Customer and Media Type for Barcode scanning. These defaults can be changed in the Barcode Scanning Window at any point.

Add New User	$\times$
Identity S Group / IP Ranges Access Options Defaults Barcode Defaults	
Customer-ID US01 New York Data Center	

Once all information is correct and complete click Save to create new user. Repeat instructions above to add more user-ID's or click the X at the top right corner to close the **User Administration** window.

#### Troubleshooting: Add user errors

